



Quality Water Analysis

Corporate Headquarters
6571 Wilson Mills Road
Cleveland, Ohio 44143

Phone: 800-458-3330

This report package contains 52 pages.

This package contains reports from the following laboratories:

- National Testing Laboratories, Ltd. (9 pages)
- Pace Analytical Services, Inc.- Minneapolis, MN (6 pages)
- Pace Analytical Services, Inc.- Greensburg, PA (15 pages)
- Eurofins Eaton Analytical, Inc. (8 pages)
- con-test – East Longmeadow, MA (Pace Analytical) (13 pages)

NELAP accredited #E87753



ANALYTICAL REPORTS

SAMPLE CODE: 468843

10/29/2024

Customer: Puritan Springs Water Co
 Shawn Gray
 1709 N Kickapoo
 Lincoln, IL 62656

Source: Mahomet Aquifer
Source Type: Well Water
Brand Name: Distilled Water
Production Code: 091224 1104 0875
Container Size: 5 Gallon

Date/Time Received: 9/16/2024 09:27

Collected by: E. Reichert

The results herein conform to TNI and ISO/IEC 17025:2017 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

Legend:

Any 'Level Detected' marked with an asterisk (*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

"ND" This contaminant was not detected at or above our lower reporting limit (LRL)

"NA" Not Analyzed

"Standard" This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA Secondary Standards.

"LRL" This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

"DF" This column indicates the contaminant dilution factor.

Report Notes:

pH analysis has a 15 minute hold time from sampling to analysis. Analysis of pH past the 15 minute hold time should be considered an estimate. In addition, Chlorine, Chloramine and Chlorine Dioxide hold time is immediate, therefore results should be considered an estimate.

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
Inorganic Analytes - Metals										
1002	Aluminum	200.7	0.2	mg/L	0.05	ND	1	9/24/2024 14:45		10/14/2024
1074	Antimony	200.8	0.006	mg/L	0.003	ND	1	9/24/2024 14:45		10/15/2024
1005	Arsenic	200.8	0.010	mg/L	0.002	ND	1	9/24/2024 14:45		10/15/2024
1010	Barium	200.7	2	mg/L	0.10	ND	1	9/24/2024 14:45		10/14/2024
1075	Beryllium	200.7	0.004	mg/L	0.001	ND	1	9/24/2024 14:45		10/14/2024
1079	Boron	200.7	--	mg/L	0.10	ND	1	9/24/2024 14:45		10/14/2024
1015	Cadmium	200.7	0.005	mg/L	0.001	ND	1	9/24/2024 14:45		10/14/2024
1016	Calcium	200.7	--	mg/L	2.0	ND	1	9/24/2024 14:45		10/14/2024
1020	Chromium	200.7	0.100	mg/L	0.007	ND	1	9/24/2024 14:45		10/14/2024
1022	Copper	200.7	1.0	mg/L	0.002	ND	1	9/24/2024 14:45		10/14/2024
1028	Iron	200.7	0.3	mg/L	0.020	ND	1	9/24/2024 14:45		10/14/2024
1030	Lead	200.8	0.015	mg/L	0.001	ND	1	9/24/2024 14:45		10/15/2024
1031	Magnesium	200.7	--	mg/L	0.10	ND	1	9/24/2024 14:45		10/14/2024
1032	Manganese	200.7	0.05	mg/L	0.004	ND	1	9/24/2024 14:45		10/14/2024
1035	Mercury	200.8	0.002	mg/L	0.0002	ND	1	9/24/2024 14:45		10/15/2024
1036	Nickel	200.7	--	mg/L	0.005	ND	1	9/24/2024 14:45		10/14/2024
1042	Potassium	200.7	--	mg/L	1.0	ND	1	9/24/2024 14:45		10/14/2024
1045	Selenium	200.8	0.05	mg/L	0.002	ND	1	9/24/2024 14:45		10/15/2024
1049	Silica	200.7	--	mg/L	0.05	ND	1	9/24/2024 14:45		10/14/2024

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166
(440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 468843

10/29/2024

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
1050	Silver	200.7	0.10	mg/L	0.002	ND	1	9/24/2024 14:45		10/14/2024
1052	Sodium	200.7	--	mg/L	1	ND	1	9/24/2024 14:45		10/14/2024
1085	Thallium	200.8	0.002	mg/L	0.001	ND	1	9/24/2024 14:45		10/15/2024
4006	Uranium	200.8	0.030	mg/L	0.001	ND	1	9/24/2024 14:45		10/15/2024
1095	Zinc	200.7	5.000	mg/L	0.004	ND	1	9/24/2024 14:45		10/14/2024
Physical Factors										
1927	Alkalinity (Total as CaCO3)	2320B	--	mg/L	20	ND	1	9/24/2024 14:45		10/2/2024
1905	Apparent Color	2120B	15	CU	3	ND	1	9/24/2024 14:45		9/25/2024 14:05
1910	Corrosivity	2330B	--	SI		-5.41	R2	1	9/24/2024 14:45	10/15/2024
2905	Foaming Agents	5540C	0.5	mg/L	0.1	ND	1	9/24/2024 14:45		9/25/2024 12:20
MBAS, calculated as Linear Alkylate Sulfonate (LAS), mol wt of 342.4 g/mole										
1915	Hardness	2340B	--	mg/L	5.0	ND	1	9/24/2024 14:45		10/14/2024
1920	Odor Temperature	2150B	--	Deg, C		17	1	9/24/2024 14:45		9/25/2024 12:35
1920	Odor Threshold	2150B	3	ton	1	ND	1	9/24/2024 14:45		9/25/2024 12:35
1925	pH	150.1	5-7	pH Units		5.7	1	9/24/2024 14:45		9/25/2024 13:05
4254	pH Temperature	150.1	--	Deg, C		25	1	9/24/2024 14:45		9/25/2024 13:05
1930	Total Dissolved Solids	2540C	500	mg/L	5	ND	1	9/24/2024 14:45		9/25/2024
0100	Turbidity	2130B	1	NTU	0.1	ND	1	9/24/2024 14:45		9/25/2024 13:50
Inorganic Analytes - Other										
1011	Bromate	300.1	0.010	mg/L	0.005	ND	1	9/24/2024 14:45		10/2/2024
1004	Bromide	300.1	--	mg/L	0.005	ND	1	9/24/2024 14:45		10/2/2024
1006	Chloramine as Cl2	4500Cl-G	4.0	mg/L	0.05	ND	1	9/24/2024 14:45		9/25/2024 12:27
1017	Chloride	300.0	250	mg/L	1.0	ND	1	9/24/2024 14:45		9/25/2024 12:26
1012	Chlorine as Cl2	4500Cl-G	4.0	mg/L	0.05	ND	1	9/24/2024 14:45		9/25/2024 12:24
1008	Chlorine Dioxide as ClO2	4500ClO2D	0.8	mg/L	0.1	ND	1	9/24/2024 14:45		9/25/2024 12:27
1009	Chlorite	300.1	1.0	mg/L	0.005	ND	1	9/24/2024 14:45		10/2/2024
1025	Fluoride	300.0	4.0	mg/L	0.10	ND	1	9/24/2024 14:45		9/25/2024 12:26
1040	Nitrate as N	300.0	10	mg/L	0.05	ND	1	9/24/2024 14:45		9/25/2024 12:26
1041	Nitrite as N	300.0	1	mg/L	0.05	ND	1	9/24/2024 14:45		9/25/2024 12:26
1044	Ortho Phosphate	300.0	--	mg/L	2.0	ND	1	9/24/2024 14:45		9/25/2024 12:26
1055	Sulfate	300.0	250	mg/L	5.0	ND	1	9/24/2024 14:45		9/25/2024 12:26
Organic Analytes - Trihalomethanes										
2943	Bromodichloromethane	524.2 THMs	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2942	Bromoform	524.2 THMs	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2941	Chloroform	524.2 THMs	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2944	Dibromochloromethane	524.2 THMs	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2950	Total THMs	524.2 THMs	0.080	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
Organic Analytes - Haloacetic Acids										

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166
(440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 468843

10/29/2024

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
2454	Dibromoacetic Acid	552.2 HAAs --		ug/L	1.0	ND	1	9/24/2024 14:45	10/3/2024	10/8/2024
2451	Dichloroacetic Acid	552.2 HAAs --		ug/L	1.0	ND	1	9/24/2024 14:45	10/3/2024	10/8/2024
2453	Monobromoacetic Acid	552.2 HAAs --		ug/L	1.0	ND	1	9/24/2024 14:45	10/3/2024	10/8/2024
2450	Monochloroacetic Acid	552.2 HAAs --		ug/L	1.0	ND	1	9/24/2024 14:45	10/3/2024	10/8/2024
2452	Trichloroacetic Acid	552.2 HAAs --		ug/L	1.0	ND	1	9/24/2024 14:45	10/3/2024	10/8/2024
2456	Total HAAs	552.2 HAAs 60		ug/L	1.0	ND	1	9/24/2024 14:45	10/3/2024	10/8/2024
Organic Analytes - Volatiles										
2986	1,1,1,2-Tetrachloroethane	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2981	1,1,1-Trichloroethane	524.2	0.2	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2988	1,1,2,2-Tetrachloroethane	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2985	1,1,2-Trichloroethane	524.2	0.005	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2978	1,1-Dichloroethane	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2977	1,1-Dichloroethene	524.2	0.007	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2410	1,1-Dichloropropene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2420	1,2,3-Trichlorobenzene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2414	1,2,3-Trichloropropane	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2378	1,2,4-Trichlorobenzene	524.2	0.07	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2418	1,2,4-Trimethylbenzene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2968	1,2-Dichlorobenzene	524.2	0.6	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2980	1,2-Dichloroethane	524.2	0.005	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2983	1,2-Dichloropropane	524.2	0.005	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2424	1,3,5-Trimethylbenzene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2967	1,3-Dichlorobenzene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2412	1,3-Dichloropropane	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2969	1,4-Dichlorobenzene	524.2	0.075	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2416	2,2-Dichloropropane	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2965	2-Chlorotoluene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2966	4-Chlorotoluene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2030	4-Isopropyltoluene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2990	Benzene	524.2	0.005	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2993	Bromobenzene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2430	Bromochloromethane	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2214	Bromomethane	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2982	Carbon Tetrachloride	524.2	0.005	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2989	Chlorobenzene	524.2	0.1	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2216	Chloroethane	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2210	Chloromethane	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2380	cis-1,2-Dichloroethene	524.2	0.07	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2228	cis-1,3-Dichloropropene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2408	Dibromomethane	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166
(440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 468843

10/29/2024

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
2212	Dichlorodifluoromethane	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2964	Dichloromethane	524.2	0.005	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2992	Ethylbenzene	524.2	0.7	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2246	Hexachlorobutadiene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2994	Isopropylbenzene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2251	Methyl Tert Butyl Ether	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2247	Methyl-Ethyl Ketone	524.2	--	mg/L	0.005	ND	R2 1	9/24/2024 14:45		9/25/2024
2248	Naphthalene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2422	n-Butylbenzene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2997	o-Xylene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2963	p and m-Xylenes	524.2	--	mg/L	0.0010	ND	1	9/24/2024 14:45		9/25/2024
Due to the limitation of EPA Method 524.2, p and m isomers of Xylene are reported as aggregate.										
2998	Propylbenzene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2428	sec-Butylbenzene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2996	Styrene	524.2	0.1	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2426	tert-Butylbenzene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2987	Tetrachloroethene	524.2	0.005	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2991	Toluene	524.2	1	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2979	trans-1,2-Dichloroethene	524.2	0.1	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2224	trans-1,3-Dichloropropene	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2984	Trichloroethene	524.2	0.005	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2218	Trichlorofluoromethane	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2904	Trichlorotrifluoroethane	524.2	--	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2976	Vinyl Chloride	524.2	0.002	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
2955	Xylenes (Total)	524.2	10	mg/L	0.0005	ND	1	9/24/2024 14:45		9/25/2024
Organic Analytes - Others										
2414	1,2,3-Trichloropropane	504.1	0.00003	mg/L	0.00001	ND	1	9/24/2024 14:45	10/7/2024	10/7/2024
2931	1,2-Dibromo-3-chloropropane	504.1	0.0002	mg/L	0.00001	ND	1	9/24/2024 14:45	10/7/2024	10/7/2024
2946	1,2-Dibromoethane	504.1	0.00005	mg/L	0.00001	ND	1	9/24/2024 14:45	10/7/2024	10/7/2024
2105	2,4-D	515.4	70	ug/L	0.1	ND	1	9/24/2024 14:45	10/2/2024	10/10/2024
2066	3-Hydroxycarbofuran	531.2	--	ug/L	1.0	ND	1	9/24/2024 14:45		10/1/2024
2051	Alachlor	525.2	2	ug/L	0.2	ND	1	9/24/2024 14:45	10/3/2024	10/28/2024
2047	Aldicarb	531.2	7	ug/L	1.0	ND	1	9/24/2024 14:45		10/1/2024
2044	Aldicarb sulfone	531.2	7	ug/L	1.0	ND	1	9/24/2024 14:45		10/1/2024
2043	Aldicarb sulfoxide	531.2	7	ug/L	1.0	ND	1	9/24/2024 14:45		10/1/2024
2356	Aldrin	505	--	mg/L	0.00007	ND	1	9/24/2024 14:45	9/30/2024	9/30/2024
2050	Atrazine	525.2	3	ug/L	0.1	ND	1	9/24/2024 14:45	10/3/2024	10/28/2024
2625	Bentazon	515.4	--	ug/L	1	ND	1	9/24/2024 14:45	10/2/2024	10/10/2024
2306	Benzo(A)pyrene	525.2	0.2	ug/L	0.02	ND	1	9/24/2024 14:45	10/3/2024	10/28/2024
2076	Butachlor	525.2	--	ug/L	0.2	ND	1	9/24/2024 14:45	10/3/2024	10/28/2024
2021	Carbaryl	531.2	--	ug/L	1.0	ND	1	9/24/2024 14:45		10/1/2024

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166
(440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 468843

10/29/2024

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
2046	Carbofuran	531.2	40	ug/L	1.0	ND	1	9/24/2024 14:45		10/1/2024
2959	Chlordane	505	0.002	mg/L	0.0001	ND	1	9/24/2024 14:45	9/30/2024	9/30/2024
2031	Dalapon	515.4	200	ug/L	1	ND	1	9/24/2024 14:45	10/2/2024	10/10/2024
2035	Di(2-ethylhexyl) adipate	525.2	400	ug/L	0.2	ND	1	9/24/2024 14:45	10/3/2024	10/28/2024
2039	Di(2-ethylhexyl) phthalate	525.2	6	ug/L	0.6	ND	1	9/24/2024 14:45	10/3/2024	10/28/2024
2440	Dicamba	515.4	--	ug/L	1	ND	1	9/24/2024 14:45	10/2/2024	10/10/2024
2933	Dichloran	505	--	mg/L	0.001	ND	1	9/24/2024 14:45	9/30/2024	9/30/2024
2070	Dieldrin	505	--	mg/L	0.00002	ND	1	9/24/2024 14:45	9/30/2024	9/30/2024
2041	Dinoseb	515.4	7	ug/L	0.2	ND	1	9/24/2024 14:45	10/2/2024	10/10/2024
2032	Diquat	549.2	20	ug/L	0.4	ND	1	9/24/2024 14:45	9/27/2024	10/9/2024
2033	Endothall	548.1	100	ug/L	9	ND	1	9/24/2024 14:45	10/1/2024	10/14/2024
2005	Endrin	505	0.002	mg/L	0.00001	ND	1	9/24/2024 14:45	9/30/2024	9/30/2024
2034	Glyphosate	547	700	ug/L	6	ND	1	9/24/2024 14:45		10/2/2024
2065	Heptachlor	505	0.0004	mg/L	0.00001	ND	1	9/24/2024 14:45	9/30/2024	9/30/2024
2067	Heptachlor Epoxide	505	0.0002	mg/L	0.00001	ND	1	9/24/2024 14:45	9/30/2024	9/30/2024
2274	Hexachlorobenzene	505	0.001	mg/L	0.0001	ND	1	9/24/2024 14:45	9/30/2024	9/30/2024
2042	Hexachlorocyclopentadiene	505	0.05	mg/L	0.0001	ND	1	9/24/2024 14:45	9/30/2024	9/30/2024
2010	Lindane	505	0.0002	mg/L	0.00002	ND	1	9/24/2024 14:45	9/30/2024	9/30/2024
2022	Methomyl	531.2	--	ug/L	1.0	ND	1	9/24/2024 14:45		10/1/2024
2015	Methoxychlor	505	0.04	mg/L	0.0001	ND	1	9/24/2024 14:45	9/30/2024	9/30/2024
2045	Metolachlor	525.2	--	ug/L	0.2	ND	1	9/24/2024 14:45	10/3/2024	10/28/2024
2595	Metribuzin	525.2	--	ug/L	0.2	ND	1	9/24/2024 14:45	10/3/2024	10/28/2024
2626	Molinate	525.2	--	ug/L	0.2	ND	1	9/24/2024 14:45	10/3/2024	10/28/2024
2036	Oxamyl	531.2	200	ug/L	1.0	ND	1	9/24/2024 14:45		10/1/2024
2934	Pentachloronitrobenzene	505	--	mg/L	0.0001	ND	1	9/24/2024 14:45	9/30/2024	9/30/2024
2326	Pentachlorophenol	515.4	1	ug/L	0.04	ND	1	9/24/2024 14:45	10/2/2024	10/10/2024
2040	Picloram	515.4	500	ug/L	0.1	ND	1	9/24/2024 14:45	10/2/2024	10/10/2024
2077	Propachlor	525.2	--	ug/L	0.2	ND	1	9/24/2024 14:45	10/3/2024	10/28/2024
2110	Silvex 2,4,5-TP	515.4	50	ug/L	0.2	ND	1	9/24/2024 14:45	10/2/2024	10/10/2024
2037	Simazine	525.2	4	ug/L	0.07	ND	1	9/24/2024 14:45	10/3/2024	10/28/2024
2627	Thiobencarb	525.2	--	ug/L	0.2	ND	1	9/24/2024 14:45	10/3/2024	10/28/2024
2383	Total PCBs	505	0.0005	mg/L	0.0005	ND	1	9/24/2024 14:45	9/30/2024	9/30/2024
2910	Total Phenols	420.4	--	mg/L	0.001	ND	R2 1	9/24/2024 14:45		9/26/2024
2020	Toxaphene	505	0.003	mg/L	0.001	ND	1	9/24/2024 14:45	9/30/2024	9/30/2024
2055	Trifluralin	505	--	mg/L	0.001	ND	1	9/24/2024 14:45	9/30/2024	9/30/2024

Qualifiers:

R2: The laboratory is not licensed for this parameter. The reported result cannot be used for compliance purposes.

National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166
(440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 468843

10/29/2024

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
----------	-------------	--------	----------	-------	-----	----------------	----	-------------------	--------------	--------------------



Christine MacMillan, Technical Director

Analyst	Tests
ZSC	200.7,2340B
DMJ	200.8,2330B
SP	2320B,2120B,5540C,2150B,150.1,2540C,2130B
SG	300.1,300.0
DHG	4500CI-G,4500CI02D,420.4
SB	524.2 THMs,524.2,531.2,549.2,547
BNF	552.2 HAAs,504.1,515.4,505
JLF	525.2,548.1

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166
 (440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 468844

10/29/2024

Customer: Puritan Springs Water Co
 Shawn Gray
 1709 N Kickapoo
 Lincoln, IL 62656

Source: Mahomet Aquifer
Source Type: Well Water
Brand Name: Distilled Water
Production Code: 091224 1104 0875
Container Size: 5 Gallon

Date/Time Received: 9/16/2024 09:27

Collected by: E. Reichert

The results herein conform to TNI and ISO/IEC 17025:2017 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

Legend:

Any 'Level Detected' marked with an asterisk (*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

"ND" This contaminant was not detected at or above our lower reporting limit (LRL)

"NA" Not Analyzed

"Standard" This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA Secondary Standards.

"LRL" This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

"DF" This column indicates the contaminant dilution factor.

Report Notes:

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
Microbiologicals										
3100	Total Coliform by P/A	9223B	--	P/A	--	--	1	9/24/2024 14:45		9/24/2024 15:52
Total Coliform and E.coli were ABSENT in this sample.										
USP XXIII										
1003	Ammonia (as NH3)	USP XXIII	--	Pass/Fail		Pass	R2 1	9/24/2024 14:45		10/1/2024
1016	Calcium	USP XXIII	--	Pass/Fail		Pass	R2 1	9/24/2024 14:45		10/1/2024
1901	Carbon Dioxide (Free CO2)	USP XXIII	--	Pass/Fail		Pass	R2 1	9/24/2024 14:45		10/1/2024
1017	Chloride	USP XXIII	--	Pass/Fail		Pass	R2 1	9/24/2024 14:45		10/1/2024
	Heavy Metals (USP)	USP XXIII	--	Pass/Fail		Pass	R2 1	9/24/2024 14:45		10/1/2024
	Oxidizables (USP)	USP XXIII	--	Pass/Fail		Pass	R2 1	9/24/2024 14:45		10/1/2024
1925	pH	USP XXIII	--	pH Units		5.7	R2 1	9/24/2024 14:45		9/25/2024 13:05
1055	Sulfate	USP XXIII	--	Pass/Fail		Pass	R2 1	9/24/2024 14:45		10/1/2024
	Total Solids	USP XXIII	10	mg/L	10	ND	R2 1	9/24/2024 14:45		10/1/2024

Qualifiers:

R2: The laboratory is not licensed for this parameter. The reported result cannot be used for compliance purposes.

National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166
(440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 468844

10/29/2024

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
----------	-------------	--------	----------	-------	-----	----------------	----	-------------------	--------------	--------------------

Analyst	Tests
GK	9223B
DHG	USP XXIII
SP	USP XXIII
CF	USP XXIII



Christine MacMillan, Technical Director

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

ANALYTICAL REPORTS

SAMPLE CODE: 468842

10/29/2024

Customer: Puritan Springs Water Co
 Shawn Gray
 1709 N Kickapoo
 Lincoln, IL 62656

Source: Mahomet Aquifer
Source Type: Well Water
Brand Name: Distilled Water
Production Code: 091224 1104 0875
Container Size: 5 Gallon

Date/Time Received: 9/16/2024 09:27

Collected by: E. Reichert

The results herein conform to TNI and ISO/IEC 17025:2017 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

Legend:

Any 'Level Detected' marked with an asterisk (*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

"ND" This contaminant was not detected at or above our lower reporting limit (LRL)

"NA" Not Analyzed

"Standard" This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA Secondary Standards.

"LRL" This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

"DF" This column indicates the contaminant dilution factor.

Report Notes:

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
Microbiologicals										
3114	E. Coli	9223B	1	MPN/100 mL	1	ND	1	9/24/2024 14:45		9/25/2024 13:00
3001	Standard Plate Count	9215B	500	CFU/ml	1	<1	1	9/24/2024 14:45		9/25/2024 12:20
Pour Plate Method, 35°C/48hr, Plate Count Agar										
3000	Total Coliform	9223B	1	MPN/100 mL	1	ND	1	9/24/2024 14:45		9/25/2024 13:00

Analyst	Tests
GK	9223B,9215B



Christine MacMillan, Technical Director

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.



Pace Analytical Services, LLC.
1700 Elm Street
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Report Prepared for:

National Laboratories
National Testing Laboratories
6571 Wilson Mills Road
Cleveland OH 44143

**REPORT OF
LABORATORY
ANALYSIS FOR
2,3,7,8-TCDD**

Report Summary:

Enclosed are analytical results of one drinking water sample analyzed for 2,3,7,8-TCDD content. This sample was analyzed according to Method 1613B by High Resolution Gas Chromatography/High Resolution Mass Spectrometry.

The results reported for this sample and the associated quality control samples were all within the criteria described in Method 1613B. If you have any questions or concerns regarding these results, please contact Joanne Richardson, your Pace Project Manager.

Pace Project Number:
10709627

Report Prepared Date:
October 3, 2024

Finished Product

Sample ID: 468843
Source Name: Mahomet Aquifer
Source Location: Lincoln IL
PWS ID: N/A
Date & Time Opened: N/A
Opened By:
Laboratory Sample ID: 10709627001
Date Sampled: 09/24/2024 @ 14:45
Date Received: 09/26/2024 @ 10:05

This report has been reviewed by:

October 03, 2024

Joanne Richardson,
(612) 607-6453
(612) 607-6444 (fax)



Report of Laboratory Analysis

This report should not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

The results relate only to the samples included in this report.



Pace Analytical Services, LLC
 1700 Elm Street SE
 Minneapolis, MN 55414
 Phone: 612.607.1700
 Fax: 612.607.6444
 www.pacelabs.com

Minnesota Laboratory Certifications

Authority	Certificate #	Authority	Certificate #
A2LA	2926.01	Missouri	10100
Alabama	40770	Montana	CERT0092
Alaska-DW	MN00064	Nebraska	NE-OS-18-06
Alaska-UST	17-009	Nevada	MN00064
Arizona	AZ0014	New Hampshire	2081
Arkansas - WW	88-0680	New Jersey	MN002
Arkansas-DW	MN00064	New York	11647
California	2929	North Carolina-DW	27700
Colorado	MN00064	North Carolina-WW	530
Connecticut	PH-0256	North Dakota	R-036
Florida	E87605	Ohio-DW	41244
Georgia	959	Ohio-VAP (1700)	CL101
Hawaii	MN00064	Ohio-VAP (1800)	CL110
Idaho	MN00064	Oklahoma	9507
Illinois	200011	Oregon-Primary	MN300001
Indiana	C-MN-01	Oregon-Secondary	MN200001
Iowa	368	Pennsylvania	68-00563
Kansas	E-10167	Puerto Rico	MN00064
Kentucky-DW	90062	South Carolina	74003
Kentucky-WW	90062	Tennessee	TN02818
Louisiana-DEQ	AI-84596	Texas	T104704192
Louisiana-DW	MN00064	Utah	MN00064
Maine	MN00064	Vermont	VT-027053137
Maryland	322	Virginia	460163
Michigan	9909	Washington	C486
Minnesota	027-053-137	West Virginia-DEP	382
Minnesota-Ag	via MN 027-053-137	West Virginia-DW	9952C
Minnesota-Petrofund	1240	Wisconsin	999407970
Mississippi	MN00064	Wyoming-UST	via A2LA 2926.01

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444
www.pacelabs.com

Reporting Flags

- A = Reporting Limit based on signal to noise (EDL)
- B = Less than 10x higher than method blank level
- C = Result obtained from confirmation analysis
- D = Result obtained from analysis of diluted sample
- E = Exceeds calibration range
- H2 = Extracted outside of holding time
- I = Isotope ratio out of specification
- J = Estimated value
- L = Suppressive interference, analyte may be biased low
- Nn = Value obtained from additional analysis
- P = PCDE Interference
- R = Recovery outside target range
- S = Peak saturated
- U = Analyte not detected
- V = Result verified by confirmation analysis
- X = %D Exceeds limits
- Y = Calculated using average of daily RFs

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Beverage - Finished Product

Quality Water Analysis

1-800-458-3330

Order Number: 2249373

Order Date: 9/5/2024

468843

Sample Number:

Product: FDATABASE GDR & Perchlorate

Paid: No Method: Purchase Order

P.O.: Lincoln, IL

TSR: SBW

Lincoln

IL 62656

If finished product is submitted in laboratory containers, complete the following information.

Date Opened: ___/___/___ Time Opened: ___:___:___
 Please Use Military Time, e.g. 3:00pm = 15:00

Check Time Zone: EST CST MST PST

Client Name: _____

Phone Number: _____

Fax Number: _____

PWS ID# (if applicable): _____

Source Type: Spring Well Municipal
 Other: _____

Source Name: Mahomet Aquifer
(Source Information is REQUIRED for All Finished Products)

City & State: _____
(If Different than Above)

Product Collected By: ER
(Signature)

Product Collected By: Eric Reichert
(Please Print)

Brand Name/Product Type: Distilled Water
e.g. XYZ Spring Water or XYZ Distilled Water

Container Size: 5 Gallon

Production Code/Lot Number: 091224 1104 0875

Form Completed By: Eric Reichert

Additional Comments: _____

For Laboratory Use ONLY

Lab Accounting Information:
 Payment \$: _____
 Check #: _____

Lab Comments/Special Instructions:
 Distilled Product
 Dioxin

State Forms: _____

Lab Sample Information:
 Date Received: RECEIVED, SEP 16 2024
 Time Received: _____ : 0927
 Received By: AB
 Date Opened: SEP 24 2024
 Time Opened: 14:45
 Opened By: A. Bonemer

Sample receipt criteria checked & acceptable.
 Deviations from acceptable sample receipt criteria noted on PSA form.

IF PENNSYLVANIA REPORTING IS REQUIRED AND YOUR PRODUCT IS GREATER THAN 1.77 LITERS, PLEASE PROVIDE THE FOLLOWING:

Penn. PWS ID#: _____

Location: _____

Rev: SRT102120

INCOMPLETE INFORMATION MAY DELAY ANALYSIS AND/OR INVALIDATE RESULTS

ENV-FRM-MIN4-0150 v17_Sample Condition Upon Receipt

CLIENT NAME: NTL PROJECT #: **WO# : 10709627**

COURIER: Client Commercial FedEx Pace
 SpeeDee UPS USPS

TRACKING NUMBER: 1ZAV931017526928 See Exceptions form ENV-FRM-MIN4-0142

PM: JMR Due Date: 10/07/24
 CLIENT: NTL

Custody Seal on Cooler/Box Present: YES NO Seals Intact: YES NO Biological Tissue Frozen: YES NO N/A

Packing Material: Bubble Bags Bubble Wrap None Other Temp Blank: YES NO Type of Ice: Blue Dry Wet
 Melted None

Thermometer: T1 (0461) T2 (0436) T3 (0459) T4 (0402) T5 (0178) T6 (0235)
 T7 (0042) T8 (0775) T9 (0727) 01339252 (1710)

Did Samples Originate in West Virginia: YES NO Were All Container Temps taken: YES NO N/A

Correction Factor: None Cooler Temp Read w/Temp Blank: 2.9 °C Average Corrected Temp (no Temp Blank Only): _____ °C
 Cooler Temp Corrected w/Temp Blank: 2.9 °C

NOTE: Temp should be above freezing to 6°C. See Exceptions Form ENV-FRM-MIN4-0142 1 Container 9/29/24

USDA Regulated Soil: N/A - Water Sample/Other (describe): _____ Initials & Date of Person Examining Contents: JMR 9/29/24

Did Samples originate from one of the following states (check maps) - AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA: YES NO Did samples originate from a foreign source (international, including Hawaii and Puerto Rico): YES NO

NOTE: If YES to either question, fill out a Regulated Soil Checklist (ENV-FRM-MIN4-0154) and include with SCUR/COC paperwork.

LOCATION (check one):	<input type="checkbox"/> DULUTH	<input checked="" type="checkbox"/> MINNEAPOLIS	<input type="checkbox"/> VIRGINIA	YES	NO	N/A	COMMENT(S)								
Chain of Custody Present and Filled Out?		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>		1.								
Chain of Custody Relinquished?		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>		2.								
Sampler Name and/or Signature on COC?		<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>		3.								
Samples Arrived within Hold Time?		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>		4. If Fecal: <input type="checkbox"/> <8 hrs <input type="checkbox"/> >8 hr, <24 hr <input type="checkbox"/> No								
Short Hold Time Analysis (<72 hr)?		<input type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>		5. <input type="checkbox"/> BOD / cBOD <input type="checkbox"/> Fecal coliform <input type="checkbox"/> Hex Chrom <input type="checkbox"/> HPC <input type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> Ortho Phos <input type="checkbox"/> Total coliform/E. coli <input type="checkbox"/> Other: _____								
Rush Turn Around Time Requested?		<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>		6.								
Sufficient Sample Volume?		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>		7.								
Correct Containers Used?		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>		8.								
- Pace Containers Used?		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>										
Containers Intact?		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>		9.								
Field Filtered Volume Received for Dissolved Tests?		<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>		10. Is sediment visible in the dissolved container: <input type="checkbox"/> YES <input type="checkbox"/> NO								
Is sufficient information available to reconcile the samples to the COC? NOTE: If ID/Date/Time don't match fill out section 11.		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>		11. If NO, write ID/Date/Time of container below: <input type="checkbox"/> See Exceptions form ENV-FRM-MIN4-0142								
NOTE: If ID/Date/Time don't match fill out section 11. Matrix: <input type="checkbox"/> Oil <input type="checkbox"/> Soil <input checked="" type="checkbox"/> Water <input type="checkbox"/> Other															
All containers needing acid/base preservation have been checked? All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , < 2 pH, NaOH > 9 Sulfide, NaOH > 10 Cyanide)		<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>		12. Sample #: <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> Zinc Acetate Positive for Residual Chlorine: <input type="checkbox"/> YES <input type="checkbox"/> NO								
Exceptions: VOA, Coliform, TOC/DOC, Oil & Grease, DRO/8015 (water) and Dioxins/PFAS		<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		pH Paper Lot # Residual Chlorine: <input type="checkbox"/> YES <input type="checkbox"/> NO								
NOTE: If adding preservation to the container, verify with the PM first. Clients may require adding preservative to the field and equipment blanks when this occurs.							<table border="1"> <tr> <td>Residual Chlorine</td> <td>0-5 Roll</td> <td>0-6 Strip</td> <td>0-14 Strip</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </table> <input type="checkbox"/> See Exceptions form ENV-FRM-MIN4-0142	Residual Chlorine	0-5 Roll	0-6 Strip	0-14 Strip				
Residual Chlorine	0-5 Roll	0-6 Strip	0-14 Strip												
Headspace in Methyl Mercury Container?		<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>		13.								
Extra labels present on soil VOA or WIDRO containers?		<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>		14.								
Headspace in VOA Vials (greater than 6mm)?		<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/> See Exceptions form ENV-FRM-MIN4-0140								
Trip Blanks Present?		<input type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>		15.								
Trip Blank Custody Seals Present?		<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>		Pace Trip Blank Lot # (if purchased): _____								

CLIENT NOTIFICATION / RESOLUTION FIELD DATA REQUIRED: YES NO

Person Contacted: _____ Date & Time: _____

Comments / Resolution: _____

Project Manager Review: Joanne Richardson Date: 9-27-24

NOTE: When there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEQ Certification Office (i.e., out of hold, incorrect preservative, out of temp, incorrect containers).

Labeled By: JMR Line: 2



Pace Analytical Services, LLC.
1700 Elm Street
Minneapolis, MN, 55414


Drinking Water Analysis Results
2,3,7,8-TCDD -- USEPA Method 1613B

Tel 612-607-1700
Fax 612-607-6444

Sample ID.....**468843** Date Collected.....09/24/2024 Spike.....200 pg
Client..... National Testing Laborato Date Received.....09/26/2024 IS Spike.....2000 pg
Lab Sample ID..... 10709627001 Date Extracted.....09/30/2024 CS Spike.....200 pg

	Sample 468843	Method Blank	Lab Spike	Lab Spike Dup
[2,3,7,8-TCDD]	ND	ND	--	--
LOQ	5.0 pg/L	5.0 pg/L	--	--
2,3,7,8-TCDD Recovery	--	--	116%	111%
pg Recovered	--	--	232pg/L	222pg/L
Spike Recovery Limit	--	--	73-146%	73-146%
RPD				4.6%
IS Recovery	70%	59%	52%	68%
pg Recovered	1404 pg/L	1175 pg/L	1042 pg/L	1353 pg/L
IS Recovery Limits	31-137%	31-137%	25-141%	25-141%
CS Recovery	79%	70%	61%	72%
pg Recovered	157 pg/L	140 pg/L	122 pg/L	145 pg/L
CS Recovery Limits	42-164%	42-164%	37-158%	37-158%
Filename	E241002A_20	E241002A_14	E241002A_12	E241002A_13
Analysis Date	10/02/2024	10/02/2024	10/02/2024	10/02/2024
Analysis Time	18:34	15:20	14:15	14:48
Analyst	JF	JF	JF	JF
Volume	0.954L	0.957L	0.969L	0.969L
Dilution	NA	NA	NA	NA
ICAL Date	09/26/2024	09/26/2024	09/26/2024	09/26/2024
CCAL Filename	E241002A_03	E241002A_03	E241002A_03	E241002A_03

- ! = Outside the Control Limits
- ND = Not Detected
- LOQ = Limit of Quantitation
- Limits = Control Limits from Method 1613 (10/94 Revision), Tables 6A and 7A
- RPD = Relative Percent Difference of Lab Spike Recoveries
- IS = Internal Standard [2,3,7,8-TCDD-¹³C₁₂]
- CS = Cleanup Standard [2,3,7,8-TCDD-³⁷Cl₄]

Analyst: 

Project No.....10709627



PROJECT NARRATIVE

Project: 2249373
Pace Project No.: 30721548

Method: EPA 900.0
Description: 900.0 Gross Alpha/Beta
Client: National Testing Laboratories, Ltd.
Date: October 09, 2024

General Information:

1 sample was analyzed for EPA 900.0 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 2249373
Pace Project No.: 30721548

Method: EPA 903.1
Description: 903.1 Radium 226, DW
Client: National Testing Laboratories, Ltd.
Date: October 09, 2024

General Information:

1 sample was analyzed for EPA 903.1 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 2249373
Pace Project No.: 30721548

Method: EPA 904.0
Description: 904.0 Radium 228, DW
Client: National Testing Laboratories, Ltd.
Date: October 09, 2024

General Information:

1 sample was analyzed for EPA 904.0 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 2249373
Pace Project No.: 30721548

Method: Total Radium Calculation
Description: Total Radium 228+226
Client: National Testing Laboratories, Ltd.
Date: October 09, 2024

General Information:

1 sample was analyzed for Total Radium Calculation by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS - RADIOCHEMISTRY

Project: 2249373
 Pace Project No.: 30721548

Sample: 468843 **Lab ID: 30721548001** Collected: 09/24/24 15:45 Received: 09/27/24 09:55 Matrix: Drinking Water
 PWS: Site ID: Sample Type:

- Comments:
- FINISHED PRODUCT, Mahomet Aquifer, Lincoln, IL
 - Distilled Water, Prod. code: 091224 1104 0875, Cont. size: 5 Gallon
 - No date/time/opened by listed.
 - The sampler's name and signature were not listed on the COC.
 - Sample collection dates and times were not present on the sample containers.
 - Upon receipt at the laboratory, 5.0 mls of nitric acid were added to the sample to meet the sample preservation requirement of pH <2 for radiochemistry analysis, where the method requires preservation, in drinking water.
 - The samples were preserved pH <2 within the required 5 days of collection (EPA 815-R-05-004).

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Gross Alpha	EPA 900.0	-0.327 ± 0.585 (1.85) C:NA T:NA	pCi/L	10/08/24 07:45	12587-46-1	
Gross Beta	EPA 900.0	4.81 ± 1.21 (1.64) C:NA T:NA	pCi/L	10/08/24 07:45	12587-47-2	
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	0.296 ± 0.607 (0.983) C:NA T:93%	pCi/L	10/08/24 14:16	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	0.511 ± 0.343 (0.676) C:80% T:83%	pCi/L	10/09/24 11:14	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	0.807 ± 0.950 (1.66)	pCi/L	10/09/24 16:07	7440-14-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL - RADIOCHEMISTRY

Project: 2249373
 Pace Project No.: 30721548

QC Batch: 699233	Analysis Method: EPA 903.1
QC Batch Method: EPA 903.1	Analysis Description: 903.1 Radium-226, DW
	Laboratory: Pace Analytical Services - Greensburg

Associated Lab Samples: 30721548001

METHOD BLANK: 3405676 Matrix: Drinking Water

Associated Lab Samples: 30721548001

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radium-226	0.331 ± 0.374 (0.593) C:NA T:92%	pCi/L	10/08/24 13:58	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL - RADIOCHEMISTRY

Project: 2249373
 Pace Project No.: 30721548

QC Batch: 699234	Analysis Method: EPA 904.0
QC Batch Method: EPA 904.0	Analysis Description: 904.0 Radium 228, DW
	Laboratory: Pace Analytical Services - Greensburg

Associated Lab Samples: 30721548001

METHOD BLANK: 3405678 Matrix: Drinking Water

Associated Lab Samples: 30721548001

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radium-228	0.639 ± 0.341 (0.649) C:77% T:94%	pCi/L	10/09/24 11:13	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL - RADIOCHEMISTRY

Project: 2249373
 Pace Project No.: 30721548

QC Batch: 700248	Analysis Method: EPA 900.0
QC Batch Method: EPA 900.0	Analysis Description: 900.0 Gross Alpha/Beta
	Laboratory: Pace Analytical Services - Greensburg

Associated Lab Samples: 30721548001

METHOD BLANK: 3410445 Matrix: Water

Associated Lab Samples: 30721548001

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Gross Alpha	-0.123 ± 0.676 (1.88) C:NA T:NA	pCi/L	10/08/24 07:44	
Gross Beta	0.217 ± 0.651 (1.55) C:NA T:NA	pCi/L	10/08/24 07:44	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: 2249373
Pace Project No.: 30721548

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Act - Activity

Unc - Uncertainty: For Safe Drinking Water Act (SDWA) analyses, the reported Unc. is the calculated Count Uncertainty (95% confidence interval) using a coverage factor of 1.96. For all other matrices (non-SDWA), the reported Unc. is the calculated Expanded Uncertainty (aka Combined Standard Uncertainty, CSU), reported at the 95% confidence interval using a coverage factor of 1.96.

Gamma Spec: The Unc. reported for all gamma-spectroscopy analyses (EPA 901.1), is the calculated Expanded Uncertainty (CSU) at the 95.4% confidence interval, using a coverage factor of 2.0.

(MDC) - Minimum Detectable Concentration

Trac - Tracer Recovery (%)

Carr - Carrier Recovery (%)

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 2249373
Pace Project No.: 30721548

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
30721548001	468843	EPA 900.0	700248		
30721548001	468843	EPA 903.1	699233		
30721548001	468843	EPA 904.0	699234		
30721548001	468843	Total Radium Calculation	701794		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: 2249373
Pace Project No.: 30721548

Pace Analytical Services Pennsylvania

1638 Roseytown Rd Suites 2,3&4, Greensburg, PA 15601
ANAB DOD-ELAP Rad Accreditation #: L2417
ANABISO/IEC 17025:2017 Rad Cert#: L24170
Alabama Certification #: 41590
Arizona Certification #: AZ0734
Arkansas Certification
California Certification #: 2950
Colorado Certification #: PA01547
Connecticut Certification #: PH-0694
EPA Region 4 DW Rad
Florida/TNI Certification #: E87683
Georgia Certification #: C040
Guam Certification
Hawaii Certification
Idaho Certification
Illinois Certification
Indiana Certification
Iowa Certification #: 391
Kansas Certification #: E-10358
Kentucky Certification #: KY90133
KY WW Permit #: KY0098221
KY WW Permit #: KY0000221
Louisiana DHH/TNI Certification #: LA010
Louisiana DEQ/TNI Certification #: 04086
Maine Certification #: 2023021
Maryland Certification #: 308
Massachusetts Certification #: M-PA1457
Michigan/PADEP Certification #: 9991

Missouri Certification #: 235
Montana Certification #: Cert0082
Nebraska Certification #: NE-OS-29-14
Nevada Certification #: PA014572023-03
New Hampshire/TNI Certification #: 297622
New Jersey/TNI Certification #: PA051
New Mexico Certification #: PA01457
New York/TNI Certification #: 10888
North Carolina Certification #: 42706
North Dakota Certification #: R-190
Ohio EPA Rad Approval: #41249
Oregon/TNI Certification #: PA200002-015
Pennsylvania/TNI Certification #: 65-00282
Puerto Rico Certification #: PA01457
Rhode Island Certification #: 65-00282
South Dakota Certification
Tennessee Certification #: TN02867
Texas/TNI Certification #: T104704188-22-18
Utah/TNI Certification #: PA014572223-14
USDA Soil Permit #: 525-23-67-77263
Vermont Dept. of Health: ID# VT-0282
Virgin Island/PADEP Certification
Virginia/VELAP Certification #: 460198
Washington Certification #: C868
West Virginia DEP Certification #: 143
West Virginia DHHR Certification #: 9964C
Wisconsin Approve List for Rad

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: 2249373
Pace Project No.: 30721548

Lab ID	Sample ID	Matrix	Date Collected	Date Received
30721548001	468843	Drinking Water	09/24/24 15:45	09/27/24 09:55

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 2249373
Pace Project No.: 30721548

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
30721548001	468843	EPA 900.0	KET	2	PASI-PA
		EPA 903.1	LL1	1	PASI-PA
		EPA 904.0	JJS1	1	PASI-PA
		Total Radium Calculation	JAL	1	PASI-PA

PASI-PA = Pace Analytical Services - Greensburg

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Quality Water Analysis

1-800-458-3330

Beverage - Finished Product

Order Number: 2249373
 Order Date: 9/5/2024 468843
 Sample Number:
 Product: FDATABASE GDR & Perchlorate
 Paid: No Method: Purchase P.O.: Lincoln, IL
 Order
 TSR: SBW

WO#: 30721548
 PM: CMC Due Date: 10/18/24
 CLIENT: NTL

Lincoln IL 62656

If finished product is submitted in laboratory containers, complete the following information.
 Date Opened: ___/___/___ Time Opened: ___:___:___
 Please Use Military Time, e.g. 3:00pm = 15:00
 Check Time Zone: EST CST MST PST

Client Name: _____
 Phone Number: _____
 Fax Number: _____
 PWS ID# (if applicable): _____
 Source Type: Spring Well Municipal
 Other: _____

Source Name: Mahomet Aquifer
 (Source Information is REQUIRED for All Finished Products)

City & State: _____
 (If Different than Above)

Product Collected By: ER
 (Signature)

Product Collected By: Eric Reichert
 (Please Print)

Brand Name/Product Type: Distilled Water
 e.g. XYZ Spring Water or XYZ Distilled Water

Container Size: 5 Gallon

Production Code/Lot Number: 091224 1104 0875

Form Completed By: Eric Reichert

Additional Comments: _____

For Laboratory Use ONLY

Lab Accounting Information:
 Payment \$: _____
 Check #: _____

Lab Comments/Special Instructions:
 Distilled Product
 Rads
 State Forms: _____

Lab Sample Information:
 Date Received: RECEIVED, SEP 16 2024
 Time Received: : 0927
 Received By: AB
 Date Opened: SEP 24 2024
 Time Opened: 14:45
 Opened By: A. Bonemer
 Sample receipt criteria checked & acceptable.
 Deviations from acceptable sample receipt criteria noted on PSA form.

IF PENNSYLVANIA REPORTING IS REQUIRED AND YOUR PRODUCT IS GREATER THAN 1.77 LITERS, PLEASE PROVIDE THE FOLLOWING:

Penn. PWS ID#: _____
 Location: _____

DC#_Title: ENV-FRM-GBUR-0088 v07_Sample Condition Upon Receipt-
Greensburg

Effective Date: 01/04/2024

Client Name: NTL

Project: _____

WO# : 30721548

PM: CMC Due Date: 10/18/24

CLIENT: NTL

Courier: Fed Ex UPS USPS Client Commercial Pace Other

Tracking Number: 1Z AIV 931 01 7453 1243

Custody Seal on Cooler/Box Present: Yes No

Seals Intact: Yes No

Thermometer Used: _____ Type of Ice: Wet Blue None

Cooler Temperature: Observed Temp _____ °C Correction Factor: _____ °C Final Temp: _____ °C

Temp should be above freezing to 6°C

Initial/Date

Examined By: EJ 9/27/24

Labeled By: EJ 9/27/24

Temped By: _____

Comments:	Yes	No	NA	pH paper Lot# <u>10D1041</u>	D.P.D. Residual Chlorine Lot # _____
Chain of Custody Present	/			1.	
Chain of Custody Filled Out: -Were client corrections present on COC	/			2.	
Chain of Custody Relinquished	/			3.	
Sampler Name & Signature on COC:	/			4.	
Sample Labels match COC: -Includes date/time/ID	/			5.	<u>No sample collection date/time on sample labels</u>
Matrix: <u>DW</u>					
Samples Arrived within Hold Time:	/			6.	
Short Hold Time Analysis (<72hr remaining):	/			7.	
Rush Turn Around Time Requested:	/			8.	
Sufficient Volume:	/			9.	
Correct Containers Used: -Pace Containers Used	/			10.	
Containers Intact:	/			11.	
Orthophosphate field filtered:	/			12.	
Hex Cr Aqueous samples field filtered:	/			13.	
Organic Samples checked for dichlorination	/			14.	
Filtered volume received for dissolved tests:	/			15.	
All containers checked for preservation: exceptions: VOA, coliform, TOC, O&G, Phenolics, Radon, non-aqueous matrix	/			16.	
All containers meet method preservation requirements:				Initial when completed <u>EJ</u>	Date/Time of Preservation <u>9/27/24 1200</u>
				Lot# of added Preservative <u>30209709</u>	
8260C/D: Headspace in VOA Vials (> 6mm)	/			17.	
624.1: Headspace in VOA Vials (0mm)	/			18.	
Radon: Headspace in RAD Vials (0mm)	/			19.	
Trip Blank Present:				Trip blank custody seal present? YES or NO	
Rad Samples Screened <.05 mrem/hr.	/			Initial when completed <u>EJ</u>	Date: <u>9/27/24</u> Survey Meter SN: <u>25014380</u>
Comments:					

Note: For NC compliance samples with discrepancies, a copy of this form must be sent to the DEHNR Certification office. PM Review is documented electronically in LIMS through the SRF Review schedule in the Workorder Edit Screen.

Qualtrax ID: 55680

Case Narrative

Client: National Testing Laboratories, Ltd
Project: 468843 / 2249373

Job ID: 810-121844-1

Job ID: 810-121844-1

Eurofins Eaton Analytical South Bend

Job Narrative 810-121844-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 9/26/2024 10:30 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.4°C.

LCMS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Client Sample Results

Client: National Testing Laboratories, Ltd
 Project/Site: 468843 / 2249373

Job ID: 810-121844-1

Client Sample ID: 468843 / 2249373

Lab Sample ID: 810-121844-1

Date Collected: 09/24/24 14:45

Matrix: Drinking Water

Date Received: 09/26/24 10:30

Method: EPA 331.0 - Perchlorate (LC/MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perchlorate	<0.050		0.050		ug/L			10/01/24 11:28	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Total (EPA 335.4)	<0.0050		0.0050		mg/L		09/27/24 10:20	09/27/24 11:32	1



Definitions/Glossary

Client: National Testing Laboratories, Ltd
Project/Site: 468843 / 2249373

Job ID: 810-121844-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count



Lab Chronicle

Client: National Testing Laboratories, Ltd
Project/Site: 468843 / 2249373

Job ID: 810-121844-1

Client Sample ID: 468843 / 2249373

Lab Sample ID: 810-121844-1

Date Collected: 09/24/24 14:45

Matrix: Drinking Water

Date Received: 09/26/24 10:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	331.0		1	116904	GL	EA SB	10/01/24 11:28
Total/NA	Prep	Distill/CN			116646	KH	EA SB	09/27/24 10:20
Total/NA	Analysis	335.4		1	116679	KH	EA SB	09/27/24 11:32

Laboratory References:

EA SB = Eurofins Eaton Analytical South Bend, 110 S Hill Street, South Bend, IN 46617, TEL (574)233-4777



Accreditation/Certification Summary

Client: National Testing Laboratories, Ltd
Project/Site: 468843 / 2249373

Job ID: 810-121844-1



Laboratory: Eurofins Eaton Analytical South Bend

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Ohio	State	87775	06-30-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
331.0		Drinking Water	Perchlorate
335.4	Distill/CN	Drinking Water	Cyanide, Total

Method Summary

Client: National Testing Laboratories, Ltd
Project/Site: 468843 / 2249373

Job ID: 810-121844-1



Method	Method Description	Protocol	Laboratory
331.0	Perchlorate (LC/MS/MS)	EPA	EA SB
335.4	Cyanide, Total	EPA	EA SB
Distill/CN	Distillation, Cyanide	None	EA SB

Protocol References:

EPA = US Environmental Protection Agency
None = None

Laboratory References:

EA SB = Eurofins Eaton Analytical South Bend, 110 S Hill Street, South Bend, IN 46617, TEL (574)233-4777

Sample Summary

Client: National Testing Laboratories, Ltd
Project/Site: 468843 / 2249373

Job ID: 810-121844-1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
810-121844-1	468843 / 2249373	Drinking Water	09/24/24 14:45	09/26/24 10:30

National Testing Laboratories, Ltd.

Quality Water Analysis

1-800-458-3330

Beverage - Finished Product

Order Number: 2249373
 Order Date: 9/5/2024 468843
 Sample Number:
 Product: FDATABASE GDR & Perchlorate
 Paid: No Method: Purchase P.O.: Lincoln, IL
 Order
 TSR: SBW

Lincoln IL 62656

If finished product is submitted in laboratory containers, complete the following information.

Date Opened: ___/___/___ Time Opened: ___:___:___
 Please Use Military Time, e.g. 3:00pm = 15:00

Check Time Zone: EST CST MST PST

Client Name: _____
 Phone Number: _____
 Fax Number: _____
 PWS ID# (if applicable): _____
 Source Type: Spring Well Municipal
 Other: _____
 Source Name: Mahomet Aquifer
 (Source Information is REQUIRED for All Finished Products)
 City & State: _____
 (If Different than Above)
 Product Collected By: ER
 (Signature)
 Product Collected By: Eric Reichert
 (Please Print)
 Brand Name/Product Type: Distilled Water
 e.g. XYZ Spring Water or XYZ Distilled Water
 Container Size: 5 Gallon
 Production Code/Lot Number: 091224 1104 0875
 Form Completed By: Eric Reichert
 Additional Comments: _____

For Laboratory Use ONLY

Lab Accounting Information:
 Payment \$: _____
 Check #: _____

Lab Comments/Special Instructions:
 Distilled Product
 Cn, perchlorate
 State Forms: _____

Lab Sample Information:
 Date Received: RECEIVED, SEP 16 2024
 Time Received: _____ : 0927
 Received By: AB
 Date Opened: SEP 24 2024
 Time Opened: 14:45
 Opened By: A. Bonemier
 Sample receipt criteria checked & acceptable.
 Deviations from acceptable sample receipt criteria noted on PSA form.

IF PENNSYLVANIA REPORTING IS REQUIRED AND YOUR PRODUCT IS GREATER THAN 1.77 LITERS, PLEASE PROVIDE THE FOLLOWING:

Penn. PWS ID#: _____
 Location: _____

Rev: SRT102120

INCOMPLETE INFORMATION MAY DELAY ANALYSIS AND/OR INVALIDATE RESULTS



October 9, 2024

Christine Macmillan
National Testing Laboratories, LTD
6571 Wilson Mills Road
Cleveland, OH 44143

Project Location: 2249373
Client Job Number:
Project Number: [none]
Laboratory Work Order Number: 24I4144

Enclosed are results of analyses for samples as received by the laboratory on September 26, 2024. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Karriem G. Marius
Project Manager

Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
24I4144-01	5
Sample Preparation Information	6
QC Data	7
Semivolatile Organic Compounds by - LC/MS-MS	7
B387863	7
B388476	8
Flag/Qualifier Summary	10
Certifications	11
Chain of Custody/Sample Receipt	12

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

National Testing Laboratories, LTD
6571 Wilson Mills Road
Cleveland, OH 44143
ATTN: Christine Macmillan

REPORT DATE: 10/9/2024

PURCHASE ORDER NUMBER:

PROJECT NUMBER: [none]

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 24I4144

The results of analyses performed on the following samples submitted to Con-Test, a Pace Analytical Laboratory, are found in this report.

PROJECT LOCATION: 2249373

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
468845	24I4144-01	Water		EPA 537.1	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

EPA 537.1

Qualifications:

S-26

Surrogate outside of control limits.

Analyte & Samples(s) Qualified:

13C-PFDA

B387863-BLK1, B387863-BS1, B387863-BSD1

13C-PFHxA

B387863-BLK1, B387863-BS1, B387863-BSD1

D5-NEtFOSAA


B387863-BLK1, B387863-BS1, B387863-BSD1

M3HFPO-DA

B387863-BLK1, B387863-BS1, B387863-BSD1

The results of analyses reported only relate to samples submitted to Con-Test, a Pace Analytical Laboratory, for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Meghan E. Kelley
Reporting Specialist

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: 2249373

Sample Description:

Work Order: 2414144

Date Received: 9/26/2024

Field Sample #: 468845

Sampled: 9/24/2024 14:45

Sample ID: 2414144-01

Sample Matrix: Water

Semivolatile Organic Compounds by - LC/MS-MS

Analyte	Results	RL	DL	Units	DF	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Perfluorobutanesulfonic acid (PFBS)	ND	1.8	0.74	ng/L	1		EPA 537.1	10/7/24	10/8/24 14:28	AMS
Perfluorohexanoic acid (PFHxA)	ND	1.8	0.97	ng/L	1		EPA 537.1	10/7/24	10/8/24 14:28	AMS
Perfluorohexanesulfonic acid (PFHxS)	ND	1.8	0.89	ng/L	1		EPA 537.1	10/7/24	10/8/24 14:28	AMS
Perfluoroheptanoic acid (PFHpA)	ND	1.8	0.91	ng/L	1		EPA 537.1	10/7/24	10/8/24 14:28	AMS
Perfluorooctanoic acid (PFOA)	ND	1.8	1.0	ng/L	1		EPA 537.1	10/7/24	10/8/24 14:28	AMS
Perfluorooctanesulfonic acid (PFOS)	ND	1.8	0.83	ng/L	1		EPA 537.1	10/7/24	10/8/24 14:28	AMS
Perfluorononanoic acid (PFNA)	ND	1.8	0.91	ng/L	1		EPA 537.1	10/7/24	10/8/24 14:28	AMS
Perfluorodecanoic acid (PFDA)	ND	1.8	0.89	ng/L	1		EPA 537.1	10/7/24	10/8/24 14:28	AMS
N-EtFOSAA (NEtFOSAA)	ND	1.8	0.83	ng/L	1		EPA 537.1	10/7/24	10/8/24 14:28	AMS
Perfluoroundecanoic acid (PFUnA)	ND	1.8	0.88	ng/L	1		EPA 537.1	10/7/24	10/8/24 14:28	AMS
N-MeFOSAA (NMeFOSAA)	ND	1.8	0.80	ng/L	1		EPA 537.1	10/7/24	10/8/24 14:28	AMS
Perfluorododecanoic acid (PFDoA)	ND	1.8	0.84	ng/L	1		EPA 537.1	10/7/24	10/8/24 14:28	AMS
Perfluorotridecanoic acid (PFTrDA)	ND	1.8	0.83	ng/L	1		EPA 537.1	10/7/24	10/8/24 14:28	AMS
Perfluorotetradecanoic acid (PFTA)	ND	1.8	0.82	ng/L	1		EPA 537.1	10/7/24	10/8/24 14:28	AMS
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	1.8	1.3	ng/L	1		EPA 537.1	10/7/24	10/8/24 14:28	AMS
11Cl-PF3OUdS (F53B Major)	ND	1.8	0.70	ng/L	1		EPA 537.1	10/7/24	10/8/24 14:28	AMS
9Cl-PF3ONS (F53B Minor)	ND	1.8	0.79	ng/L	1		EPA 537.1	10/7/24	10/8/24 14:28	AMS
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	1.8	0.93	ng/L	1		EPA 537.1	10/7/24	10/8/24 14:28	AMS

Surrogates	% Recovery	Recovery Limits	Flag/Qual
13C-PFHxA	96.0	70-130	10/8/24 14:28
M3HFPO-DA	104	70-130	10/8/24 14:28
13C-PFDA	103	70-130	10/8/24 14:28
D5-NEtFOSAA	101	70-130	10/8/24 14:28

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Sample Extraction Data

Prep Method: EPA 537.1-EPA 537.1

Lab Number [Field ID]	Batch	Initial [mL]	Final [mL]	Date
24I4144-01RE1 [468845]	B388476	278	1.00	10/07/24

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL
Semivolatle Organic Compounds by - LC/MS-MS - Quality Control

Analyte	Reporting		DL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
	Result	Limit									
Batch B387863 - EPA 537.1											
Blank (B387863-BLK1)											
						Prepared: 10/02/24 Analyzed: 10/03/24					
Perfluorobutanesulfonic acid (PFBS)	ND	1.9	0.76	ng/L							
Perfluorohexanoic acid (PFHxA)	ND	1.9	1.0	ng/L							
Perfluorohexanesulfonic acid (PFHxS)	ND	1.9	0.92	ng/L							
Perfluoroheptanoic acid (PFHpA)	ND	1.9	0.94	ng/L							
Perfluorooctanoic acid (PFOA)	ND	1.9	1.1	ng/L							
Perfluorooctanesulfonic acid (PFOS)	ND	1.9	0.86	ng/L							
Perfluorononanoic acid (PFNA)	ND	1.9	0.94	ng/L							
Perfluorodecanoic acid (PFDA)	ND	1.9	0.93	ng/L							
N-EtFOSAA (NEtFOSAA)	ND	1.9	0.86	ng/L							
Perfluoroundecanoic acid (PFUnA)	ND	1.9	0.91	ng/L							
N-MeFOSAA (NMeFOSAA)	ND	1.9	0.83	ng/L							
Perfluorododecanoic acid (PFDoA)	ND	1.9	0.87	ng/L							
Perfluorotridecanoic acid (PFTriDA)	ND	1.9	0.86	ng/L							
Perfluorotetradecanoic acid (PFTA)	ND	1.9	0.85	ng/L							
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	1.9	1.4	ng/L							
11Cl-PF3OUdS (F53B Major)	ND	1.9	0.73	ng/L							
9Cl-PF3ONS (F53B Minor)	ND	1.9	0.82	ng/L							
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	1.9	0.96	ng/L							
Surrogate: 13C-PFHxA	20.6			ng/L	37.36		55.0	* 70-130			S-26
Surrogate: M3HFPO-DA	19.5			ng/L	37.36		52.3	* 70-130			S-26
Surrogate: 13C-PFDA	21.9			ng/L	37.36		58.5	* 70-130			S-26
Surrogate: D5-NEtFOSAA	92.6			ng/L	149.4		62.0	* 70-130			S-26
LCS (B387863-BS1)											
						Prepared: 10/02/24 Analyzed: 10/03/24					
Perfluorobutanesulfonic acid (PFBS)	2.01	1.9	0.76	ng/L	1.645		122	50-150			
Perfluorohexanoic acid (PFHxA)	2.39	1.9	1.0	ng/L	1.855		129	50-150			
Perfluorohexanesulfonic acid (PFHxS)	2.44	1.9	0.91	ng/L	1.695		144	50-150			
Perfluoroheptanoic acid (PFHpA)	2.33	1.9	0.94	ng/L	1.855		126	50-150			
Perfluorooctanoic acid (PFOA)	2.27	1.9	1.1	ng/L	1.855		123	50-150			
Perfluorooctanesulfonic acid (PFOS)	2.39	1.9	0.85	ng/L	1.721		139	50-150			
Perfluorononanoic acid (PFNA)	2.61	1.9	0.94	ng/L	1.855		141	50-150			
Perfluorodecanoic acid (PFDA)	2.40	1.9	0.92	ng/L	1.855		130	50-150			
N-EtFOSAA (NEtFOSAA)	2.31	1.9	0.86	ng/L	1.855		125	50-150			
Perfluoroundecanoic acid (PFUnA)	2.49	1.9	0.91	ng/L	1.855		134	50-150			
N-MeFOSAA (NMeFOSAA)	2.33	1.9	0.82	ng/L	1.855		126	50-150			
Perfluorododecanoic acid (PFDoA)	2.28	1.9	0.87	ng/L	1.855		123	50-150			
Perfluorotridecanoic acid (PFTriDA)	2.43	1.9	0.85	ng/L	1.855		131	50-150			
Perfluorotetradecanoic acid (PFTA)	2.63	1.9	0.85	ng/L	1.855		142	50-150			
Hexafluoropropylene oxide dimer acid (HFPO-DA)	2.56	1.9	1.4	ng/L	1.855		138	50-150			
11Cl-PF3OUdS (F53B Major)	2.20	1.9	0.73	ng/L	1.749		126	50-150			
9Cl-PF3ONS (F53B Minor)	2.55	1.9	0.81	ng/L	1.730		147	50-150			
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.21	1.9	0.95	ng/L	1.753		126	50-150			
Surrogate: 13C-PFHxA	24.4			ng/L	37.09		65.7	* 70-130			S-26
Surrogate: M3HFPO-DA	24.4			ng/L	37.09		65.9	* 70-130			S-26
Surrogate: 13C-PFDA	25.4			ng/L	37.09		68.4	* 70-130			S-26
Surrogate: D5-NEtFOSAA	103			ng/L	148.4		69.5	* 70-130			S-26

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Semivolatile Organic Compounds by - LC/MS-MS - Quality Control

Analyte	Result	Reporting Limit	DL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B387863 - EPA 537.1

LCS Dup (B387863-BSD1)

Prepared: 10/02/24 Analyzed: 10/03/24

Perfluorobutanesulfonic acid (PFBS)	1.44	1.8	0.74	ng/L	1.601		89.9	50-150	33.0	50	J
Perfluorohexanoic acid (PFHxA)	1.93	1.8	0.97	ng/L	1.805		107	50-150	21.5	50	
Perfluorohexanesulfonic acid (PFHxS)	1.70	1.8	0.89	ng/L	1.650		103	50-150	35.8	50	J
Perfluoroheptanoic acid (PFHpA)	2.02	1.8	0.91	ng/L	1.805		112	50-150	14.4	50	
Perfluorooctanoic acid (PFOA)	1.89	1.8	1.0	ng/L	1.805		105	50-150	18.3	50	
Perfluorooctanesulfonic acid (PFOS)	1.97	1.8	0.83	ng/L	1.675		118	50-150	19.5	50	
Perfluorononanoic acid (PFNA)	1.93	1.8	0.91	ng/L	1.805		107	50-150	30.1	50	
Perfluorodecanoic acid (PFDA)	2.10	1.8	0.90	ng/L	1.805		116	50-150	13.4	50	
N-EtFOSAA (NEtFOSAA)	2.08	1.8	0.83	ng/L	1.805		115	50-150	10.5	50	
Perfluoroundecanoic acid (PFUnA)	2.03	1.8	0.88	ng/L	1.805		112	50-150	20.5	50	
N-MeFOSAA (NMeFOSAA)	1.92	1.8	0.80	ng/L	1.805		107	50-150	19.1	50	
Perfluorododecanoic acid (PFDoA)	1.97	1.8	0.84	ng/L	1.805		109	50-150	14.6	50	
Perfluorotridecanoic acid (PFTriDA)	2.12	1.8	0.83	ng/L	1.805		118	50-150	13.3	50	
Perfluorotetradecanoic acid (PFTA)	2.29	1.8	0.82	ng/L	1.805		127	50-150	13.7	50	
Hexafluoropropylene oxide dimer acid (HFPO-DA)	1.85	1.8	1.3	ng/L	1.805		102	50-150	32.1	50	
11Cl-PF3OUdS (F53B Major)	1.70	1.8	0.71	ng/L	1.702		99.9	50-150	25.6	50	J
9Cl-PF3ONS (F53B Minor)	1.93	1.8	0.79	ng/L	1.684		114	50-150	27.7	50	
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	1.87	1.8	0.93	ng/L	1.706		110	50-150	17.0	50	
Surrogate: 13C-PFHxA	<i>19.7</i>			ng/L	36.10		54.6	* 70-130			S-26
Surrogate: M3HFPO-DA	<i>18.7</i>			ng/L	36.10		51.7	* 70-130			S-26
Surrogate: 13C-PFDA	<i>22.4</i>			ng/L	36.10		62.0	* 70-130			S-26
Surrogate: D5-NEtFOSAA	<i>91.8</i>			ng/L	144.4		63.6	* 70-130			S-26

Batch B388476 - EPA 537.1

Blank (B388476-BLK1)

Prepared: 10/07/24 Analyzed: 10/08/24

Perfluorobutanesulfonic acid (PFBS)	ND	1.8	0.73	ng/L							
Perfluorohexanoic acid (PFHxA)	ND	1.8	0.96	ng/L							
Perfluorohexanesulfonic acid (PFHxS)	ND	1.8	0.88	ng/L							
Perfluoroheptanoic acid (PFHpA)	ND	1.8	0.90	ng/L							
Perfluorooctanoic acid (PFOA)	ND	1.8	1.0	ng/L							
Perfluorooctanesulfonic acid (PFOS)	ND	1.8	0.82	ng/L							
Perfluorononanoic acid (PFNA)	ND	1.8	0.90	ng/L							
Perfluorodecanoic acid (PFDA)	ND	1.8	0.89	ng/L							
N-EtFOSAA (NEtFOSAA)	ND	1.8	0.83	ng/L							
Perfluoroundecanoic acid (PFUnA)	ND	1.8	0.87	ng/L							
N-MeFOSAA (NMeFOSAA)	ND	1.8	0.80	ng/L							
Perfluorododecanoic acid (PFDoA)	ND	1.8	0.84	ng/L							
Perfluorotridecanoic acid (PFTriDA)	ND	1.8	0.82	ng/L							
Perfluorotetradecanoic acid (PFTA)	ND	1.8	0.82	ng/L							
Hexafluoropropylene oxide dimer acid (HFPO-DA)	ND	1.8	1.3	ng/L							
11Cl-PF3OUdS (F53B Major)	ND	1.8	0.70	ng/L							
9Cl-PF3ONS (F53B Minor)	ND	1.8	0.78	ng/L							
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	1.8	0.92	ng/L							
Surrogate: 13C-PFHxA	<i>31.6</i>			ng/L	35.82		88.1	70-130			
Surrogate: M3HFPO-DA	<i>33.3</i>			ng/L	35.82		92.9	70-130			
Surrogate: 13C-PFDA	<i>33.3</i>			ng/L	35.82		93.0	70-130			
Surrogate: D5-NEtFOSAA	<i>132</i>			ng/L	143.3		92.1	70-130			

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Semivolatile Organic Compounds by - LC/MS-MS - Quality Control

Analyte	Result	Reporting		Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
		Limit	DL								
Batch B388476 - EPA 537.1											
LCS (B388476-BS1)											
						Prepared: 10/07/24 Analyzed: 10/08/24					
Perfluorobutanesulfonic acid (PFBS)	14.5	1.8	0.74	ng/L	16.06		90.6	70-130			
Perfluorohexanoic acid (PFHxA)	16.1	1.8	0.97	ng/L	18.11		88.8	70-130			
Perfluorohexanesulfonic acid (PFHxS)	15.4	1.8	0.89	ng/L	16.55		93.3	70-130			
Perfluoroheptanoic acid (PFHpA)	16.9	1.8	0.91	ng/L	18.11		93.3	70-130			
Perfluorooctanoic acid (PFOA)	16.5	1.8	1.1	ng/L	18.11		91.1	70-130			
Perfluorooctanesulfonic acid (PFOS)	15.5	1.8	0.83	ng/L	16.80		92.4	70-130			
Perfluorononanoic acid (PFNA)	17.3	1.8	0.91	ng/L	18.11		95.6	70-130			
Perfluorodecanoic acid (PFDA)	17.3	1.8	0.90	ng/L	18.11		95.4	70-130			
N-EtFOSAA (NEtFOSAA)	16.5	1.8	0.84	ng/L	18.11		91.3	70-130			
Perfluoroundecanoic acid (PFUnA)	17.0	1.8	0.88	ng/L	18.11		94.1	70-130			
N-MeFOSAA (NMeFOSAA)	16.4	1.8	0.81	ng/L	18.11		90.6	70-130			
Perfluorododecanoic acid (PFDoA)	16.5	1.8	0.85	ng/L	18.11		91.0	70-130			
Perfluorotridecanoic acid (PFTrDA)	17.7	1.8	0.83	ng/L	18.11		98.0	70-130			
Perfluorotetradecanoic acid (PFTA)	17.1	1.8	0.83	ng/L	18.11		94.5	70-130			
Hexafluoropropylene oxide dimer acid (HFPO-DA)	16.3	1.8	1.3	ng/L	18.11		89.8	70-130			
11Cl-PF3OUdS (F53B Major)	15.9	1.8	0.71	ng/L	17.08		93.2	70-130			
9Cl-PF3ONS (F53B Minor)	15.9	1.8	0.79	ng/L	16.89		94.3	70-130			
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	16.0	1.8	0.93	ng/L	17.11		93.3	70-130			
Surrogate: 13C-PFHxA	32.8			ng/L	36.22		90.6	70-130			
Surrogate: M3HFPO-DA	33.1			ng/L	36.22		91.3	70-130			
Surrogate: 13C-PFDA	33.4			ng/L	36.22		92.3	70-130			
Surrogate: D5-NEtFOSAA	131			ng/L	144.9		90.6	70-130			
LCS Dup (B388476-BSD1)											
						Prepared: 10/07/24 Analyzed: 10/08/24					
Perfluorobutanesulfonic acid (PFBS)	14.5	1.8	0.74	ng/L	15.97		90.5	70-130	0.573	30	
Perfluorohexanoic acid (PFHxA)	16.4	1.8	0.97	ng/L	18.01		91.3	70-130	2.27	30	
Perfluorohexanesulfonic acid (PFHxS)	15.5	1.8	0.89	ng/L	16.46		94.1	70-130	0.283	30	
Perfluoroheptanoic acid (PFHpA)	17.2	1.8	0.91	ng/L	18.01		95.3	70-130	1.58	30	
Perfluorooctanoic acid (PFOA)	16.7	1.8	1.0	ng/L	18.01		92.7	70-130	1.17	30	
Perfluorooctanesulfonic acid (PFOS)	15.7	1.8	0.83	ng/L	16.71		93.9	70-130	1.10	30	
Perfluorononanoic acid (PFNA)	17.3	1.8	0.91	ng/L	18.01		96.1	70-130	0.00948	30	
Perfluorodecanoic acid (PFDA)	17.6	1.8	0.89	ng/L	18.01		97.9	70-130	2.04	30	
N-EtFOSAA (NEtFOSAA)	17.3	1.8	0.83	ng/L	18.01		96.0	70-130	4.53	30	
Perfluoroundecanoic acid (PFUnA)	17.4	1.8	0.88	ng/L	18.01		96.5	70-130	2.04	30	
N-MeFOSAA (NMeFOSAA)	16.7	1.8	0.80	ng/L	18.01		92.9	70-130	1.90	30	
Perfluorododecanoic acid (PFDoA)	16.8	1.8	0.84	ng/L	18.01		93.3	70-130	1.93	30	
Perfluorotridecanoic acid (PFTrDA)	18.6	1.8	0.83	ng/L	18.01		104	70-130	4.96	30	
Perfluorotetradecanoic acid (PFTA)	17.7	1.8	0.82	ng/L	18.01		98.2	70-130	3.29	30	
Hexafluoropropylene oxide dimer acid (HFPO-DA)	16.5	1.8	1.3	ng/L	18.01		91.6	70-130	1.36	30	
11Cl-PF3OUdS (F53B Major)	16.5	1.8	0.71	ng/L	16.98		97.4	70-130	3.80	30	
9Cl-PF3ONS (F53B Minor)	16.1	1.8	0.79	ng/L	16.80		95.9	70-130	1.13	30	
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	16.2	1.8	0.93	ng/L	17.02		95.4	70-130	1.67	30	
Surrogate: 13C-PFHxA	32.2			ng/L	36.01		89.5	70-130			
Surrogate: M3HFPO-DA	33.7			ng/L	36.01		93.5	70-130			
Surrogate: 13C-PFDA	33.5			ng/L	36.01		92.9	70-130			
Surrogate: D5-NEtFOSAA	130			ng/L	144.1		90.5	70-130			

FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
ND	Not Detected
RL	Reporting Limit
DL	Method Detection Limit
MCL	Maximum Contaminant Level
	Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.
	No results have been blank subtracted unless specified in the case narrative section.
J	Detected but below the Reporting Limit (lowest calibration standard); therefore, result is an estimated concentration (CLP J-Flag).
S-26	Surrogate outside of control limits.

CERTIFICATIONS
Certified Analyses included in this Report

Analyte	Certifications
EPA 537.1 in Drinking Water	
Perfluorobutanesulfonic acid (PFBS)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluorohexanoic acid (PFHxA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorohexanesulfonic acid (PFHxS)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluoroheptanoic acid (PFHpA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorooctanoic acid (PFOA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluorooctanesulfonic acid (PFOS)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluorononanoic acid (PFNA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
Perfluorodecanoic acid (PFDA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
N-EtFOSAA (NEtFOSAA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluoroundecanoic acid (PFUnA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
N-MeFOSAA (NMeFOSAA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorododecanoic acid (PFDoA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorotridecanoic acid (PFTrDA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Perfluorotetradecanoic acid (PFTA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
Hexafluoropropylene oxide dimer acid (HFPO-DA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH,VA
11Cl-PF3OUdS (F53B Major)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
9Cl-PF3ONS (F53B Minor)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	VT-DW,NJ,CT,ME,PA,MI,MA,NY,NH,OH

Con-Test, a Pace Environmental Laboratory, operates under the following certifications and accreditations:

Code	Description	Number	Expires
MA	Massachusetts DEP	M-MA100	06/30/2025
CT	Connecticut Department of Public Health	PH-0821	12/31/2024
NY	New York State Department of Health	10899 NELAP	04/1/2025
NH	New Hampshire Environmental Lab	2516 NELAP	02/5/2025
NJ	New Jersey DEP	MA007 NELAP	06/30/2025
VT-DW	Vermont Department of Health Drinking Water	VT-255716	06/12/2025
ME	State of Maine	MA00100	06/9/2025
VA	Commonwealth of Virginia	460217	12/14/2024
PA	Commonwealth of Pennsylvania DEP	68-05812	06/30/2025
MI	Dept. of Env, Great Lakes, and Energy	9100	06/30/2025
OH	Ohio Environmental Protection Agency	87781	04/1/2025



DC#_Title: ENV-FRM-ELON-0001 v08_Sample Receiving Checklist

Effective Date: 06/11/2024

Log In Back-Sheet

Login Sample Receipt Checklist - (Rejection Criteria Listing - Using Acceptance Policy) Any False statement will be brought to the attention of the Client - True or False

Client National Testing Laboratories, Ltd.

Project _____

MCP/RCP Required _____

Deliverable Package Requirement _____

Location IL

PWSID# (When Applicable) _____

Arrival Method:

Courier Fed Ex Walk In Other UPS

Received By / Date / Time Ryan 9-26-24 @ 12:23

Back-Sheet By / Date / Time Eli 9-30-24 @ 9:08

Temperature Method Gun # 6

WV samples: Yes (see note*) / No (follow normal procedure)

Temp < 6° C Actual Temperature 10

Rush Samples: Yes / No Notify _____


Short Hold: Yes / No Notify _____

	True	False
Received on Ice	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Received in Cooler	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Custody Seal: DATE TIME	<input type="checkbox"/>	<input checked="" type="checkbox"/>
COC Relinquished	<input type="checkbox"/>	<input type="checkbox"/>
COC/Samples Labels Agree	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All Samples in Good Condition	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Samples Received within Holding Time	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Is there enough Volume	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Proper Media/Container Used	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Splitting Samples Required	<input type="checkbox"/>	<input checked="" type="checkbox"/>
MS/MSD	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Trip Blanks	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Lab to Filters	<input type="checkbox"/>	<input checked="" type="checkbox"/>
COC Legible	<input checked="" type="checkbox"/>	<input type="checkbox"/>
COC Included: (Check all included)		
Client <input checked="" type="checkbox"/> Analysis <input checked="" type="checkbox"/> Sampler Name <input checked="" type="checkbox"/>		
Project <input checked="" type="checkbox"/> IDs <input checked="" type="checkbox"/> Collection Date/Time <input checked="" type="checkbox"/>		
All Samples Proper pH: <u>N/A</u>	<input type="checkbox"/>	<input type="checkbox"/>

Notes regarding Samples/COC outside of SOP:

Additional Container Notes

*Note: West Virginia requires all samples to have their temperature taken. Note any outliers.

 <small>UNIVERSITY BUSINESS</small>	DC#_Title: ENV-FRM-ELON-0001 v08_Sample Receiving Checklist
Effective Date: 06/11/2024	

20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	Sample				
																				Soils Jars	(Circle Amb/Clear)			
																					16oz Amb/Clear	Soils Jars		
																							8oz Amb/Clear	(Circle Amb/Clear)
																							4oz Amb/Clear	
																							2oz Amb/Clear	
																						Unpreserved	Ambers	
																						HCL		1 Liter
																						Sulfuric		250ml
																						Sulfuric		
																						Phosphoric		
																						HCL	100ml	
																						Unpreserved	1 Liter	
																						Unpreserved		
																						Sulfuric	500ml	
																						Unpreserved		
																						Sulfuric	Plastics	
																						Unpreserved		
																						Trizma		250ml
																						Sulfuric		
																						Nitric		
																						NaOH		
																						Ammonium Acetate		
																						NaOH/Zinc		
																						Unpreserved		
																						HCL	VOA Vials	
																						MeOH		
																						D.I. Water		
																						BiSulfate		
																						Col/Bact	Other / Fill in	