



# ANALYTICAL REPORT

## PREPARED FOR

Attn: Bill Wade  
Whispering Springs, Inc.  
3443 S 1200 W - 57  
Pierceton, Indiana 46562

Generated 2/23/2026 9:41:12 AM

## JOB DESCRIPTION

FDA Testing

## JOB NUMBER

380-193113-1

# Eurofins Pomona

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

## Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW,Water matrices)

## Authorization



Generated  
2/23/2026 9:41:12 AM

Authorized for release by  
Dinora Sanchez, Project Manager  
[Dinora.Sanchez@et.eurofinsus.com](mailto:Dinora.Sanchez@et.eurofinsus.com)  
(626)386-1130

**Job Narrative  
380-193113-1**

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

### Receipt

The samples were received on 1/16/2026 10:25 AM, 2/13/2026 10:15 AM and 2/18/2026 9:55 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 5.2°C, 5.3°C and 16.1°C.

### Receipt Exceptions

The following sample(s) was received with less than 2 days remaining on the holding time or less than one shift (8 hours) remaining on a test with a holding time of 48 hours or less. As such, the laboratory had insufficient time remaining to perform the analysis within holding time: Finished product Spring 12/11/2025 (380-198082-1).

The Chain-of-Custody (COC) was incomplete as received and/or improperly completed.  
Only received page 1 of 2 for

Client submitted complete COC (revised)

### GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### GC/MS Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### GC Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### Herbicides

Method 515.4: The laboratory control sample (LCS) for preparation batch 380-201659 and analytical batch 380-202259 recovered outside control limits for the following analytes: Acifluorfen. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Method 515.4: The continuing calibration verification (CCV) associated with batch 380-202259 recovered above the upper control limit for Acifluorfen. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are: Finish Product Spring 12/19/25 11:00am (380-193113-1) and (380-194158-AS-1-A).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### Pesticides/PCBs

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### HPLC/IC

Method 300.0: The following sample was diluted for Nitrite as N to prevent detector saturation due to high conductivity: Finish Product Spring 12/19/25 11:00am (380-193113-1). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

## Case Narrative

Client: Whispering Springs, Inc.  
Project: FDA Testing

Job ID: 380-193113-1

**Job ID: 380-193113-1 (Continued)**

**Eurofins Pomona**

### **Pesticides**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### **Dioxin**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### **Metals**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### **General Chemistry**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### **Gas Flow Proportional Counter**

Method 900.0: GAB prep batch 160-755390

The following samples had a final mass above the 100 mg limit: Finish Product Spring 12/19/25 11:00am (380-193113-1). The according dilution is noted in the notes section of the prep worksheet and is reflected in the initial amount field.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### **Rad**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### **Biology**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Pomona

# Sample Summary

Client: Whispering Springs, Inc.  
Project/Site: FDA Testing

Job ID: 380-193113-1

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Collected</u>	<u>Received</u>	<u>Sample Origin</u>
380-193113-1	Finish Product Spring 12/19/25 11:00am	Bottled Water	01/16/26 08:00	01/16/26 10:25	Indiana
380-198082-1	Finished product Spring 12/11/2025	Drinking Water	02/11/26 12:00	02/13/26 10:15	Indiana
380-198659-1	Finished Product Spring 12/19/25	Drinking Water	02/17/26 12:00	02/18/26 09:55	Indiana

# Client Sample Results

Client: Whispering Springs, Inc.  
Project/Site: FDA Testing

Job ID: 380-193113-1

**Client Sample ID: Finish Product Spring 12/19/25 11:00am**

**Lab Sample ID: 380-193113-1**

Date Collected: 01/16/26 08:00

Matrix: Bottled Water

Date Received: 01/16/26 10:25

**Method: 525.2 - Semivolatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
2,4'-DDD	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
2,4'-DDE	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
2,4'-DDT	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
2,4-Dinitrotoluene	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
2,6-Dinitrotoluene	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
4,4'-DDD	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
4,4'-DDE	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
4,4'-DDT	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Acenaphthene	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Acenaphthylene	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Acetochlor	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Alachlor (Alanex)	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
alpha-BHC	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
alpha-Chlordane	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Anthracene	ND		0.019	ug/L		01/29/26 15:21	1	UPAC
Atrazine	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Benz(a)anthracene	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Benzo[a]pyrene	ND		0.019	ug/L		01/29/26 15:21	1	UPAC
Benzo[b]fluoranthene	ND		0.019	ug/L		01/29/26 15:21	1	UPAC
Benzo[g,h,i]perylene	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Benzo[k]fluoranthene	ND		0.019	ug/L		01/29/26 15:21	1	UPAC
beta-BHC	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Bis(2-ethylhexyl) phthalate	ND		0.58	ug/L		01/29/26 15:21	1	UPAC
Aldrin	ND		0.0097	ug/L		01/29/26 15:21	1	UPAC
Bromacil	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Butachlor	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Butylbenzylphthalate	ND		0.48	ug/L		01/29/26 15:21	1	UPAC
Chlorobenzilate	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Chloroneb	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Chlorothalonil (Draconil, Bravo)	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Chlorpyrifos	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Chrysene	ND		0.019	ug/L		01/29/26 15:21	1	UPAC
delta-BHC	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Di(2-ethylhexyl)adipate	ND		0.58	ug/L		01/29/26 15:21	1	UPAC
Dibenz(a,h)anthracene	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Diclorvos (DDVP)	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Dieldrin	ND		0.0097	ug/L		01/29/26 15:21	1	UPAC
Diethylphthalate	ND		0.48	ug/L		01/29/26 15:21	1	UPAC
Dimethoate	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Dimethylphthalate	ND		0.48	ug/L		01/29/26 15:21	1	UPAC
Di-n-butyl phthalate	ND		0.97	ug/L		01/29/26 15:21	1	UPAC
Di-n-octyl phthalate	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Endosulfan I (Alpha)	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Endosulfan II (Beta)	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Endosulfan sulfate	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Endrin	ND		0.0097	ug/L		01/29/26 15:21	1	UPAC
Endrin aldehyde	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
EPTC	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Fluoranthene	ND		0.097	ug/L		01/29/26 15:21	1	UPAC

Euofins Pomona

# Client Sample Results

Client: Whispering Springs, Inc.  
Project/Site: FDA Testing

Job ID: 380-193113-1

**Client Sample ID: Finish Product Spring 12/19/25 11:00am**

**Lab Sample ID: 380-193113-1**

Date Collected: 01/16/26 08:00

Matrix: Bottled Water

Date Received: 01/16/26 10:25

**Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Fluorene	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
gamma-Chlordane	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Heptachlor	ND		0.0097	ug/L		01/29/26 15:21	1	UPAC
Heptachlor epoxide (isomer B)	ND		0.0097	ug/L		01/29/26 15:21	1	UPAC
Hexachlorobenzene	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Hexachlorocyclopentadiene	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Indeno[1,2,3-cd]pyrene	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Isophorone	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Lindane	ND		0.0097	ug/L		01/29/26 15:21	1	UPAC
Malathion	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Methoxychlor	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Metolachlor	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Metribuzin	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Molinate	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Naphthalene	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Parathion	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Pendimethalin (Penoxaline)	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Phenanthrene	ND		0.039	ug/L		01/29/26 15:21	1	UPAC
Propachlor	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Pyrene	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Simazine	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Terbacil	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Terbutylazine	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Thiobencarb	ND		0.097	ug/L		01/29/26 15:21	1	UPAC
Total Permethrin (mixed isomers)	ND		0.19	ug/L		01/29/26 15:21	1	UPAC
trans-Nonachlor	ND		0.048	ug/L		01/29/26 15:21	1	UPAC
Trifluralin	ND		0.097	ug/L		01/29/26 15:21	1	UPAC

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
2-Nitro-m-xylene	99		70 - 130	01/29/26 15:21	1	UPAC
Perylene-d12	90		70 - 130	01/29/26 15:21	1	UPAC
Triphenylphosphate	91		70 - 130	01/29/26 15:21	1	UPAC

**Method: 548.1 - Endothall (GC/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Endothall	ND		7.5	ug/L		01/28/26 08:54	1	X8AA

**Method: 504.1 - EDB, DBCP and 1,2,3-TCP (GC)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
1,2,3-Trichloropropane	ND		0.020	ug/L		01/22/26 05:06	1	GVC6
1,2-Dibromo-3-Chloropropane	ND		0.010	ug/L		01/22/26 05:06	1	GVC6
1,2-Dibromoethane	ND		0.010	ug/L		01/22/26 05:06	1	GVC6

  

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
1,2-Dibromopropane (Surr)	101		60 - 140	01/22/26 05:06	1	GVC6

**Method: 505 - Organochlorine Pesticides/PCBs (GC)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Chlordane	ND		0.10	ug/L		01/22/26 06:07	1	DR5R
PCB-1016	ND		0.071	ug/L		01/22/26 22:01	1	DR5R
PCB-1221	ND		0.10	ug/L		01/22/26 06:07	1	DR5R

Eurofins Pomona

# Client Sample Results

Client: Whispering Springs, Inc.  
Project/Site: FDA Testing

Job ID: 380-193113-1

**Client Sample ID: Finish Product Spring 12/19/25 11:00am**

**Lab Sample ID: 380-193113-1**

Date Collected: 01/16/26 08:00

**Matrix: Bottled Water**

Date Received: 01/16/26 10:25

## Method: 505 - Organochlorine Pesticides/PCBs (GC) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
PCB-1232	ND		0.10	ug/L		01/22/26 06:07	1	DR5R
PCB-1242	ND		0.10	ug/L		01/22/26 06:07	1	DR5R
PCB-1248	ND		0.10	ug/L		01/22/26 06:07	1	DR5R
PCB-1254	ND		0.10	ug/L		01/22/26 06:07	1	DR5R
PCB-1260	ND		0.10	ug/L		01/22/26 06:07	1	DR5R
Polychlorinated biphenyls, Total	ND		0.071	ug/L		01/22/26 22:01	1	DR5R
Toxaphene	ND		0.10	ug/L		01/22/26 22:01	1	DR5R
	ND		0.51	ug/L		01/22/26 06:07	1	DR5R
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Analyzed</b>	<b>Dil Fac</b>	<b>Analyst</b>
Tetrachloro-m-xylene	89		70 - 130			01/22/26 06:07	1	DR5R
Tetrachloro-m-xylene	96		70 - 130			01/22/26 22:01	1	DR5R

## Method: 515.4 - Herbicides (GC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
2,4,5-T	ND		0.20	ug/L		01/30/26 00:38	1	K9GY
2,4,5-TP (Silvex)	ND		0.10	ug/L		01/30/26 00:38	1	K9GY
2,4-D	ND		0.10	ug/L		01/30/26 00:38	1	K9GY
2,4-DB	ND		2.0	ug/L		01/30/26 00:38	1	K9GY
3,5-Dichlorobenzoic acid	ND		0.50	ug/L		01/30/26 00:38	1	K9GY
Acifluorfen	ND	+	0.20	ug/L		01/30/26 00:38	1	K9GY
Bentazon	ND		0.50	ug/L		01/30/26 00:38	1	K9GY
Dalapon	ND		1.0	ug/L		01/30/26 00:38	1	K9GY
Dicamba	ND		0.10	ug/L		01/30/26 00:38	1	K9GY
Dichlorprop	ND		0.50	ug/L		01/30/26 00:38	1	K9GY
Dinoseb	ND		0.20	ug/L		01/30/26 00:38	1	K9GY
Pentachlorophenol	ND		0.040	ug/L		01/30/26 00:38	1	K9GY
Picloram	ND		0.10	ug/L		01/30/26 00:38	1	K9GY
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Analyzed</b>	<b>Dil Fac</b>	<b>Analyst</b>
2,4-Dichlorophenylacetic acid (Surr)	103		70 - 130			01/30/26 00:38	1	K9GY

## Method: 6251B - Haloacetic Acids (HAAs) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Bromochloroacetic acid	ND		1.0	ug/L		01/23/26 11:29	1	KF9K
Dibromoacetic acid	ND		1.0	ug/L		01/23/26 11:29	1	KF9K
Dichloroacetic acid	ND		1.0	ug/L		01/23/26 11:29	1	KF9K
Monobromoacetic acid	ND		1.0	ug/L		01/23/26 11:29	1	KF9K
Monochloroacetic acid	ND		2.0	ug/L		01/23/26 11:29	1	KF9K
Trichloroacetic acid	ND		1.0	ug/L		01/23/26 11:29	1	KF9K
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Analyzed</b>	<b>Dil Fac</b>	<b>Analyst</b>
2,3-Dibromopropionic acid	106		70 - 130			01/23/26 11:29	1	KF9K

## Method: 6251B - Total Haloacetic Acids (GC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Total Haloacetic Acids 5	ND		2.0	ug/L		01/23/26 11:29	1	YXX2

## Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Chloride	13		1.0	mg/L		01/21/26 16:52	2	DXD4
Chlorite	ND		10	ug/L		01/21/26 23:01	1	UNJR

Eurofins Pomona

# Client Sample Results

Client: Whispering Springs, Inc.  
Project/Site: FDA Testing

Job ID: 380-193113-1

**Client Sample ID: Finish Product Spring 12/19/25 11:00am**

**Lab Sample ID: 380-193113-1**

Date Collected: 01/16/26 08:00

Matrix: Bottled Water

Date Received: 01/16/26 10:25

### Method: 300.0 - Anions, Ion Chromatography (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Nitrate as N	0.12		0.10	mg/L		01/21/26 16:52	2	DXD4
Nitrite as N	ND		0.10	mg/L		01/21/26 16:52	2	DXD4
Sulfate	59		0.50	mg/L		01/21/26 16:52	2	DXD4

### Method: 300.0 - Nitrogen, Nitrate-Nitrite

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Nitrate Nitrite as N	0.12		0.050	mg/L		01/21/26 16:52	1	YXX2

### Method: 317 - Bromate, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Bromate	1.3		1.0	ug/L		02/04/26 00:30	1	XLG4

### Method: 531.2 - Carbamate Pesticides (HPLC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
3-Hydroxycarbofuran	ND		0.50	ug/L		01/22/26 03:23	1	K9GY
Aldicarb	ND		0.50	ug/L		01/22/26 03:23	1	K9GY
Aldicarb sulfone	ND		0.50	ug/L		01/22/26 03:23	1	K9GY
Aldicarb sulfoxide	ND		0.50	ug/L		01/22/26 03:23	1	K9GY
Baygon	ND		0.50	ug/L		01/22/26 03:23	1	K9GY
Carbaryl	ND		0.50	ug/L		01/22/26 03:23	1	K9GY
Carbofuran	ND		0.50	ug/L		01/22/26 03:23	1	K9GY
Methiocarb	ND		0.50	ug/L		01/22/26 03:23	1	K9GY
Methomyl	ND		0.50	ug/L		01/22/26 03:23	1	K9GY
Oxamyl	ND		0.50	ug/L		01/22/26 03:23	1	K9GY

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
BDMC	126		70 - 130	01/22/26 03:23	1	K9GY

### Method: 547 - Glyphosate (DAI HPLC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Glyphosate	ND		6.0	ug/L		02/01/26 03:05	1	UD4M

### Method: 549.2 - Diquat and Paraquat (HPLC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Diquat	ND		0.39	ug/L		01/28/26 01:00	1	UD4M
Paraquat	ND		1.9	ug/L		01/28/26 01:00	1	UD4M

### Method: 1613B - Tetra Chlorinated Dioxin (GC/MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
2,3,7,8-TCDD	ND		4.8		pg/L		01/23/26 18:53	1	X8AA

Isotope Dilution	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
<sup>13</sup> C-2,3,7,8-TCDD	60		31 - 137	01/23/26 18:53	1	X8AA

### Method: 200.7 - Metals (ICP)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Calcium	88		0.10	mg/L		01/22/26 12:01	1	MF7S
Iron	ND		0.010	mg/L		01/22/26 12:01	1	MF7S
Magnesium	25		0.10	mg/L		01/22/26 12:01	1	MF7S
Potassium	0.96		0.20	mg/L		01/22/26 12:01	1	MF7S
Sodium	4.8		0.10	mg/L		01/22/26 12:01	1	MF7S

Eurofins Pomona

# Client Sample Results

Client: Whispering Springs, Inc.  
Project/Site: FDA Testing

Job ID: 380-193113-1

**Client Sample ID: Finish Product Spring 12/19/25 11:00am**

**Lab Sample ID: 380-193113-1**

Date Collected: 01/16/26 08:00

Matrix: Bottled Water

Date Received: 01/16/26 10:25

**Method: 200.8 - Mercury (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Hg	ND		0.20	ug/L		01/22/26 14:04	1	T8BB

**Method: 200.8 - Metals (ICP/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Aluminum	ND		20	ug/L		01/22/26 14:04	1	T8BB
Antimony	ND		1.0	ug/L		01/22/26 14:04	1	T8BB
<b>Arsenic</b>	<b>1.5</b>		1.0	ug/L		01/22/26 14:04	1	T8BB
<b>Barium</b>	<b>120</b>		2.0	ug/L		01/22/26 14:04	1	T8BB
Beryllium	ND		0.30	ug/L		01/22/26 14:04	1	T8BB
Cadmium	ND		0.50	ug/L		01/22/26 14:04	1	T8BB
Chromium	ND		0.90	ug/L		01/22/26 14:04	1	T8BB
Copper	ND		1.0	ug/L		01/22/26 14:04	1	T8BB
Lead	ND		0.50	ug/L		01/22/26 14:04	1	T8BB
Manganese	ND		2.0	ug/L		01/22/26 14:04	1	T8BB
Nickel	ND		5.0	ug/L		01/22/26 14:04	1	T8BB
Selenium	ND		2.0	ug/L		01/22/26 14:04	1	T8BB
Silver	ND		0.50	ug/L		01/22/26 14:04	1	T8BB
Thallium	ND		0.30	ug/L		01/22/26 14:04	1	T8BB
Uranium	ND		1.0	ug/L		01/22/26 14:04	1	T8BB
Zinc	ND		5.0	ug/L		01/22/26 14:04	1	T8BB
Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Uranium	ND		0.67	pCi/L		01/22/26 14:04	1	T8BB

**Method: SM 2340B - Total Hardness (as CaCO3) by calculation**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
<b>Hardness (as CaCO3)</b>	<b>330</b>		2.9	mg/L		01/22/26 23:26	1	C4WQ
<b>Calcium hardness as CaCO3</b>	<b>220</b>		2.5	mg/L		01/22/26 23:26	1	C4WQ
<b>Magnesium hardness as calcium carbonate</b>	<b>100</b>		0.41	mg/L		01/22/26 23:26	1	C4WQ

**General Chemistry**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Turbidity (180.1)	ND		0.10	NTU		01/21/26 13:14	1	N9HH
Chlorine dioxide (4500 ClO2 D)	ND	HF	0.24	mg/L		01/22/26 10:33	1	LQ3M
Cyanide (4500 CN F)	ND		0.025	mg/L		01/26/26 13:21	1	MQP5
Color, Apparent (SM 2120B)	ND		2.0	Color Units		01/21/26 11:19	1	EFJZ
Odor (SM 2150B)	ND		1.0	T.O.N.		01/21/26 09:26	1	EFJZ
<b>Specific Conductance (SM 2510B)</b>	<b>620</b>		2.0	umhos/cm		01/22/26 21:13	1	PK4Q
<b>Total Dissolved Solids (SM 2540C)</b>	<b>390</b>		20	mg/L		01/22/26 18:36	1	UL8Q
Chlorine, Total Residual (SM 4500 Cl G)	ND	HF	0.050	mg/L		01/22/26 10:33	1	LQ3M
Chloramines, Total (SM 4500 Cl G)	ND	HF	0.050	mg/L		01/22/26 10:33	1	LQ3M
Chlorine, free (SM 4500 Cl G)	ND	HF	0.050	mg/L		01/22/26 10:33	1	LQ3M
<b>Fluoride (SM 4500 F C)</b>	<b>0.69</b>		0.050	mg/L		01/21/26 23:33	1	PK4Q
<b>pH (SM 4500 H+ B)</b>	<b>8.0</b>	HF	0.01	SU		01/22/26 21:13	1	PK4Q

**Method: 900.0 - Gross Alpha and Gross Beta Radioactivity**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
<b>Gross Alpha</b>	<b>3.48</b>		3.10	3.13	3.00	2.95	pCi/L	01/28/26 22:23	1	SWS

Eurofins Pomona

# Client Sample Results

Client: Whispering Springs, Inc.  
Project/Site: FDA Testing

Job ID: 380-193113-1

**Client Sample ID: Finish Product Spring 12/19/25 11:00am**

**Lab Sample ID: 380-193113-1**

Date Collected: 01/16/26 08:00

Matrix: Bottled Water

Date Received: 01/16/26 10:25

**Method: 900.0 - Gross Alpha and Gross Beta Radioactivity (Continued)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Gross Beta	0.880	U	1.43	1.43	4.00	1.39	pCi/L	01/28/26 22:23	1	SWS

**Method: 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radium-226	0.462		0.177	0.182	1.00	0.102	pCi/L	01/27/26 12:16	1	FLC
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Analyzed</b>	<b>Dil Fac</b>	<b>Analyst</b>
Ba Carrier	89.6		30 - 110					01/27/26 12:16	1	FLC

**Method: 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Radium-228	0.179	U	0.426	0.426	1.00	0.453	pCi/L	01/29/26 11:50	1	SWS
<b>Carrier</b>	<b>%Yield</b>	<b>Qualifier</b>	<b>Limits</b>					<b>Analyzed</b>	<b>Dil Fac</b>	<b>Analyst</b>
Ba Carrier	75.0		30 - 110					01/29/26 11:50	1	SWS
Y Carrier	80.0		30 - 110					01/29/26 11:50	1	SWS

**Method: Ra226\_Ra228 Pos - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Analyzed	Dil Fac	Analyst
Combined Radium 226 + 228	0.640		0.461	0.463	5.00	0.453	pCi/L	01/30/26 07:58	1	FLC

**Method: 9223B - Coliforms, Total, and E.Coli (Colilert - Quanti Tray)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Coliform, Total	<1.0		1.0	MPN/100mL		01/21/26 13:43	1	ZE3N
E. Coli	<1.0		1.0	MPN/100mL		01/21/26 13:43	1	ZE3N

**Client Sample ID: Finished product Spring 12/11/2025**

**Lab Sample ID: 380-198082-1**

Date Collected: 02/11/26 12:00

Matrix: Drinking Water

Date Received: 02/13/26 10:15

**General Chemistry**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Phenols, Total (420.4)	ND	H H3	1.0	ug/L		02/18/26 22:16	1	UFU5

**Client Sample ID: Finished Product Spring 12/19/25**

**Lab Sample ID: 380-198659-1**

Date Collected: 02/17/26 12:00

Matrix: Drinking Water

Date Received: 02/18/26 09:55

**Method: 524.2 - Total Trihalomethanes**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Trihalomethanes, Total	ND		0.50	ug/L		02/19/26 21:09	1	D5TU

Eurofins Pomona

# Client Sample Results

Client: Whispering Springs, Inc.  
Project/Site: FDA Testing

Job ID: 380-193113-1

**Client Sample ID: Finished Product Spring 12/19/25**

Date Collected: 02/17/26 12:00

Date Received: 02/18/26 09:55

**Lab Sample ID: 380-198659-1**

Matrix: Drinking Water

**Method: 524.2 - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
1,1,1,2-Tetrachloroethane	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
1,1,1-Trichloroethane	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
1,1,2,2-Tetrachloroethane	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
1,1,2-Trichloroethane	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
1,1-Dichloroethylene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
1,1-Dichloroethane	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
1,1-Dichloropropene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
1,2,3-Trichlorobenzene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
1,2,3-Trichloropropane	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
1,2,4-Trichlorobenzene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
1,2,4-Trimethylbenzene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
1,2-Dichloroethane	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
1,2-Dichloropropane	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
1,3,5-Trimethylbenzene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
1,3-Dichloropropane	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
2,2-Dichloropropane	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
2-Butanone (MEK)	ND	*1	5.0	ug/L		02/19/26 21:09	1	N4CJ
Benzene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Bromobenzene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Bromochloromethane	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Bromodichloromethane	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Bromoethane	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Bromoform	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Bromomethane (Methyl Bromide)	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Carbon disulfide	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Carbon tetrachloride	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Chlorobenzene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Chloroethane	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Chloroform (Trichloromethane)	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Chloromethane (methyl chloride)	ND	*+	0.50	ug/L		02/19/26 21:09	1	N4CJ
cis-1,2-Dichloroethylene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
cis-1,3-Dichloropropene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Dibromochloromethane	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Dibromomethane	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Dichlorodifluoromethane	ND	*+	0.50	ug/L		02/19/26 21:09	1	N4CJ
Dichloromethane	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Diisopropyl ether	ND		3.0	ug/L		02/19/26 21:09	1	N4CJ
Ethylbenzene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Hexachlorobutadiene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Isopropylbenzene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
m,p-Xylenes	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
m-Dichlorobenzene (1,3-DCB)	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Methyl-tert-butyl Ether (MTBE)	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Naphthalene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
n-Butylbenzene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
N-Propylbenzene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
o-Chlorotoluene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
o-Dichlorobenzene (1,2-DCB)	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
o-Xylene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ

# Client Sample Results

Client: Whispering Springs, Inc.  
Project/Site: FDA Testing

Job ID: 380-193113-1

**Client Sample ID: Finished Product Spring 12/19/25**

**Lab Sample ID: 380-198659-1**

Date Collected: 02/17/26 12:00

Matrix: Drinking Water

Date Received: 02/18/26 09:55

**Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
p-Chlorotoluene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
p-Dichlorobenzene (1,4-DCB)	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
p-Isopropyltoluene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
sec-Butylbenzene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Styrene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Tert-amyl methyl ether	ND		3.0	ug/L		02/19/26 21:09	1	N4CJ
Tert-butyl ethyl ether	ND		3.0	ug/L		02/19/26 21:09	1	N4CJ
tert-Butylbenzene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Tetrachloroethene (PCE)	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Toluene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
trans-1,2-Dichloroethylene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
trans-1,3-Dichloropropene	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Trichloroethylene (TCE)	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Trichlorofluoromethane (Freon 11)	ND	*+	0.50	ug/L		02/19/26 21:09	1	N4CJ
Trichlorotrifluoroethane	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ
Vinyl Chloride (VC)	ND		0.30	ug/L		02/19/26 21:09	1	N4CJ
Xylenes, Total	ND		0.50	ug/L		02/19/26 21:09	1	N4CJ

  

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
1,2-Dichloroethane-d4 (Surr)	96		70 - 130	02/19/26 21:09	1	N4CJ
4-Bromofluorobenzene (Surr)	100		70 - 130	02/19/26 21:09	1	N4CJ
Toluene-d8 (Surr)	97		70 - 130	02/19/26 21:09	1	N4CJ

# Action Limit Summary

Client: Whispering Springs, Inc.  
Project/Site: FDA Testing

Job ID: 380-193113-1

Client Sample ID: Finish Product Spring 12/19/25 11:00am

Lab Sample ID: 380-193113-1

## Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	FDA SOQ	RL	Method	Prep Type
				Limit			
Alachlor (Alanex)	ND		ug/L	2.000	0.048	525.2	Total/NA
Atrazine	ND		ug/L	3.000	0.048	525.2	Total/NA
Benzo[a]pyrene	ND		ug/L	0.2000	0.019	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	ND		ug/L	6.000	0.58	525.2	Total/NA
Di(2-ethylhexyl)adipate	ND		ug/L	400.0	0.58	525.2	Total/NA
Endrin	ND		ug/L	2.000	0.0097	525.2	Total/NA
Heptachlor	ND		ug/L	0.4000	0.0097	525.2	Total/NA
Heptachlor epoxide (isomer B)	ND		ug/L	0.2000	0.0097	525.2	Total/NA
Hexachlorobenzene	ND		ug/L	1.000	0.048	525.2	Total/NA
Hexachlorocyclopentadiene	ND		ug/L	50.00	0.048	525.2	Total/NA
Lindane	ND		ug/L	0.2000	0.0097	525.2	Total/NA
Methoxychlor	ND		ug/L	40.00	0.048	525.2	Total/NA
Simazine	ND		ug/L	4.000	0.048	525.2	Total/NA
Endothall	ND		ug/L	100.0	7.5	548.1	Total/NA
1,2-Dibromo-3-Chloropropane	ND		ug/L	0.2000	0.010	504.1	Total/NA
1,2-Dibromoethane	ND		ug/L	0.05	0.010	504.1	Total/NA
Chlordane	ND		ug/L	2.000	0.10	505	Total/NA
Polychlorinated biphenyls, Total	ND		ug/L	0.5000	0.10	505	Total/NA
Toxaphene	ND		ug/L	3.000	0.51	505	Total/NA
2,4,5-TP (Silvex)	ND		ug/L	50.00	0.10	515.4	Total/NA
2,4-D	ND		ug/L	70.00	0.10	515.4	Total/NA
Dalapon	ND		ug/L	200.0	1.0	515.4	Total/NA
Dinoseb	ND		ug/L	7.000	0.20	515.4	Total/NA
Pentachlorophenol	ND		ug/L	1.000	0.040	515.4	Total/NA
Picloram	ND		ug/L	500.0	0.10	515.4	Total/NA
Total Haloacetic Acids 5	ND		ug/L	60.00	2.0	6251B	Total/NA
Chloride	13		mg/L	250	1.0	300.0	Total/NA
Chlorite	ND		ug/L	1000	10	300.0	Total/NA
Nitrate as N	0.12		mg/L	10	0.10	300.0	Total/NA
Nitrite as N	ND		mg/L	1	0.10	300.0	Total/NA
Sulfate	59		mg/L	250	0.50	300.0	Total/NA
Nitrate Nitrite as N	0.12		mg/L	10	0.050	300.0	Total/NA
Bromate	1.3		ug/L	10.00	1.0	317	Total/NA
Carbofuran	ND		ug/L	40.00	0.50	531.2	Total/NA
Oxamyl	ND		ug/L	200.0	0.50	531.2	Total/NA
Glyphosate	ND		ug/L	700.0	6.0	547	Total/NA
Diquat	ND		ug/L	20.00	0.39	549.2	Total/NA
2,3,7,8-TCDD	ND		pg/L	30	4.8	1613B	Total/NA
Iron	ND		mg/L	0.3	0.010	200.7	Total/NA
Hg	ND		ug/L	2.000	0.20	200.8	Total/NA
Aluminum	ND		ug/L	200.0	20	200.8	Total/NA
Antimony	ND		ug/L	6.000	1.0	200.8	Total/NA
Arsenic	1.5		ug/L	10.00	1.0	200.8	Total/NA
Barium	120		ug/L	2000	2.0	200.8	Total/NA
Beryllium	ND		ug/L	4.000	0.30	200.8	Total/NA
Cadmium	ND		ug/L	5.000	0.50	200.8	Total/NA
Chromium	ND		ug/L	100.0	0.90	200.8	Total/NA
Copper	ND		ug/L	1000	1.0	200.8	Total/NA

Eurofins Pomona

# Action Limit Summary

Client: Whispering Springs, Inc.  
Project/Site: FDA Testing

Job ID: 380-193113-1

**Client Sample ID: Finish Product Spring 12/19/25 11:00am**  
(Continued)

**Lab Sample ID: 380-193113-1**

## Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	FDA SOQ	RL	Method	Prep Type
				Limit			
Lead	ND		ug/L	5.000	0.50	200.8	Total/NA
Manganese	ND		ug/L	50.00	2.0	200.8	Total/NA
Nickel	ND		ug/L	100.0	5.0	200.8	Total/NA
Selenium	ND		ug/L	50.00	2.0	200.8	Total/NA
Silver	ND		ug/L	100.0	0.50	200.8	Total/NA
Thallium	ND		ug/L	2.000	0.30	200.8	Total/NA
Uranium	ND		ug/L	30.00	1.0	200.8	Total/NA
Zinc	ND		pCi/L	20	0.67	200.8	Total/NA
Turbidity	ND		ug/L	5000	5.0	200.8	Total/NA
Chlorine dioxide	ND	HF	NTU	5	0.10	180.1	Total/NA
Cyanide	ND		mg/L	0.8	0.24	4500 ClO2 D	Total/NA
Odor	ND		mg/L	0.2	0.025	4500 CN F	Total/NA
Total Dissolved Solids	390		T.O.N.	3	1.0	SM 2150B	Total/NA
Chloramines, Total	ND	HF	mg/L	500	20	SM 2540C	Total/NA
Chlorine, free	ND	HF	mg/L	4	0.050	SM 4500 Cl G	Total/NA
Fluoride	0.69		mg/L	4	0.050	SM 4500 Cl G	Total/NA
Gross Alpha	3.48		mg/L	4	0.050	SM 4500 F C	Total/NA
Gross Beta	0.880	U	pCi/L	15	3.00	900.0	Total/NA
Combined Radium 226 + 228	0.640		pCi/L	50	4.00	900.0	Total/NA
				5	5.00	Ra226_Ra228 Pos	Total/NA

**Client Sample ID: Finished Product Spring 12/19/25**

**Lab Sample ID: 380-198659-1**

## Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	FDA SOQ	RL	Method	Prep Type
				Limit			
Trihalomethanes, Total	ND		ug/L	80.00	0.50	524.2	Total/NA
1,1,1-Trichloroethane	ND		ug/L	200.0	0.50	524.2	Total/NA
1,1,2-Trichloroethane	ND		ug/L	5.000	0.50	524.2	Total/NA
1,1-Dichloroethylene	ND		ug/L	7.000	0.50	524.2	Total/NA
1,2,4-Trichlorobenzene	ND		ug/L	70.00	0.50	524.2	Total/NA
1,2-Dichloroethane	ND		ug/L	5.000	0.50	524.2	Total/NA
1,2-Dichloropropane	ND		ug/L	5.000	0.50	524.2	Total/NA
Benzene	ND		ug/L	5.000	0.50	524.2	Total/NA
Carbon tetrachloride	ND		ug/L	5.000	0.50	524.2	Total/NA
Chlorobenzene	ND		ug/L	100.0	0.50	524.2	Total/NA
cis-1,2-Dichloroethylene	ND		ug/L	70.00	0.50	524.2	Total/NA
Dichloromethane	ND		ug/L	5.000	0.50	524.2	Total/NA
Ethylbenzene	ND		ug/L	700.0	0.50	524.2	Total/NA
o-Dichlorobenzene (1,2-DCB)	ND		ug/L	600.0	0.50	524.2	Total/NA
p-Dichlorobenzene (1,4-DCB)	ND		ug/L	75.000	0.50	524.2	Total/NA
Styrene	ND		ug/L	100.0	0.50	524.2	Total/NA
Tetrachloroethene (PCE)	ND		ug/L	5.000	0.50	524.2	Total/NA

Eurofins Pomona

# Action Limit Summary

Client: Whispering Springs, Inc.  
Project/Site: FDA Testing

Job ID: 380-193113-1

**Client Sample ID: Finished Product Spring 12/19/25  
(Continued)**

**Lab Sample ID: 380-198659-1**

## Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	FDA SOQ	RL	Method	Prep Type
				Limit			
Toluene	ND		ug/L	1000	0.50	524.2	Total/NA
trans-1,2-Dichloroethylene	ND		ug/L	100.0	0.50	524.2	Total/NA
Trichloroethylene (TCE)	ND		ug/L	5.000	0.50	524.2	Total/NA
Vinyl Chloride (VC)	ND		ug/L	2.000	0.30	524.2	Total/NA
Xylenes, Total	ND		ug/L	10000	0.50	524.2	Total/NA